

SANITARY FITTINGS

FOR PROJECTS

IN STAINLESS STEEL

WAGNER
EWAR

CONTENTS

PAGE 4 _GOOD TO KNOW

PAGE 30 _HAND CLEANING

PAGE 48 _HAND DRYING

PAGE 60 _COLLECTING WASTE

PAGE 74 _COMBINATIONS

PAGE 90 _TAPS

PAGE 94 _CUSTOM DESIGN

PAGE 98 _TOILET FITTINGS AND
ACCESSORIES

PAGE 116 _BARRIER-FREE LIVING

PAGE 126 _USEFUL INFORMATION

TYPICALLY WAGNER-FWAR

LOCATION

Wagner-EWAR has been developing and producing high quality stainless steel washroom products for commercial washrooms since 1974. We sell our products through independent sales agents within Germany and through exclusive importers worldwide.

STAINLESS STEEL

Wagner products are exclusively manufactured using high-quality nickel chromium steel, material number AISI 304 or higher quality. The visible surfaces are satin finished and in addition brushed. Stainless steel is the ideal material for durable and particularly hygienic products. It has a permanent antibacterial effect and can be disinfected – a crucial advantage over other materials.

QUALITY DEFINED

All individual parts are deburred by machine before assembly. For the A-Line and L-Line, the housing edges are fully welded and attachment parts are fixed with virtually invisible spot welds. This ensures best possible hygiene and operating safety, also during maintenance.

EASY MOUNTING

Mounting is easy and time saving. Fixings are usually invisible and equipped with anti-theft protection; fixing materials are always supplied. For support rails and hinged support rails, suitable fixing kits can be ordered depending on the wall structure.

COST EFFICIENT

Many of our soap and paper towel dispensers are supplied already filled. And afterwards you can permanently save on maintenance costs because our products can be refilled with standard commercial consumables which are also available from us.



CONTINUOUS OPERATION

Timeless design, modular elements and long-term spare parts availability ensure trouble-free use over many years.



A-LINE

The A-Line can be used to equip virtually any commercial washroom or toilet. It is the most comprehensive product line with a timeless, straight style and high-quality workmanship. Fully welded folded edges and virtually invisible connections to attachment parts ensure best possible hygiene.



L-LINE

The L-Line is our design alternative: conical housing with a vertical recess and square perforations is a further design feature with high recognition value. The workmanship in A-Line quality makes it suitable as standard equipment for surface mounting and under-counter mounting in washrooms.



P-LINE

The design of the P-Line is characterised by vertically rounded housing edges. In contrast to the A-Line and L-Line, the items are not fully welded but spot welded. The P-Line is suitable as standard equipment for washrooms and toilets in price-sensitive projects.



CLEAR FUNCTIONAL SELF EXPLANATORY

PUBLIC WASHROOMS

At airports, stadiums, cinemas or universities and in other washrooms and toilets with changing visitors, we recommend robust, self-explanatory products in sizes that are adapted to the room dimensions. The focus is on anti-theft protection, low maintenance effort and best possible hygiene.

WP 199
see p. 93



WA 100
see p. 92




WP 102
see p. 38



WP 1300
see p. 58



WP 183
see p. 66



COMBINATION EXAMPLE FOR PUBLIC WASHROOMS



ELEGANT REDUCED HIGH QUALITY

NON-PUBLIC WASHROOMS

In office and administration areas – places which are usually frequented by employees and not by the public – the focus is on the overall design of the washroom, but also on very reduced designs. Mounting behind mirrors and in the base units are possible solutions.

WP 195
see p. 47



WA 100
see p. 92



WP 166
see p. 57



WP 135
see p. 72



WP 197
see p. 71



COMBINATION EXAMPLE FOR NON-PUBLIC WASHROOMS



PERSONAL SPACE-SAVING COMPREHENSIVE

SMALL WASHROOMS

Design and functionality on a small footprint. Wagner supplies a wide range of products which – in practical combinations – can be integrated to save space without compromising on functionality.

WP 199
see p. 93



WA 195
see p. 47



WA 100
see p. 92



WP 610
see p. 87



COMBINATION EXAMPLE FOR SMALL WASHROOMS



AESTHETIC
ROBUST
PRACTICAL

LARGE WASHROOMS

Highly frequented washrooms and toilets are equipped with several or larger units according to the room size. Space-saving solutions, such as mounting under tabletops or behind mirrors, are just as suitable as the use of combinations.

WP 199
see p. 93



WA 100
see p. 92




WP 174
see p. 43



WP 176
see p. 56



WP 154
see p. 73



WP 198
see p. 69




COMBINATION EXAMPLE FOR LARGE WASHROOMS



CLASSIC
FLEXIBLE
DISTINCTIVE

SURFACE MOUNTING

Surface mounting keeps all options open: for placement of the units, for any changes or additions. This mounting type is particularly simple to implement for building renovations and with stainless steel products it offers the advantage of reflecting the colours of the surroundings, allowing good integration.



WP 107
see p. 38

WP 113
see p. 54

WP 126
see p. 66

WP 199
see p. 93

WA 100
see p. 92

WP 550
see p. 88

WP 183
see p. 66

COMBINATION EXAMPLE FOR SURFACE MOUNTED UNITS



STYLISH SPACE-SAVING EASY CARE

FLUSH MOUNTING

The use of flush mounted units is particularly convenient for new buildings. The frame disappears entirely or partially in the wall, saving space and reducing the cleaning effort. The screw fixed housing front panels can simply be replaced after years of use.

WP 199
see p. 93



WA 100
see p. 92



WP 208
see p. 39



WP 112
see p. 54



WP 147
see p. 66



COMBINATION EXAMPLE FOR FLUSH MOUNTED UNITS




INTEGRATED REDUCED INVISIBLE

MOUNTING IN CABINETS/ BEHIND MIRRORS

This allows the implementation of "invisible" or "reduced" solutions. On permanently mounted mirror front panels, soap or paper towels are refilled from underneath. Concealed mounting is recommended for non-public washrooms. The supplied self-adhesive pictograms indicate the position of the dispensers.



WP 197
see p. 71



WP 135
see p. 72



WA 100
see p. 92



WP 174
see p. 43



WP 176
see p. 56



WP 199
see p. 93



WP 198
see p. 69



COMBINATION EXAMPLE FOR MOUNTING BEHIND MIRRORS AND IN CABINETS



INDIVIDUAL SPACE-SAVING COMPREHENSIVE

UNDER-COUNTER MOUNTING

Individually designed washbasins usually offer enough space for integrating our under counter models. This creates very elegant washbasin spaces. Optional wall or floor brackets also allow the units to be retrofitted.

WP 197
see p. 71



WP 166
see p. 57



WP 135
see p. 72



WA 195
see p. 47



WA 100
see p. 92



WP 199
see p. 93



WP 520
see p. 84



COMBINATION EXAMPLE FOR UNDER-COUNTER MOUNTING



SAFE CERTIFIED COMPREHENSIVE

BARRIER-FREE LIVING

Our complete range for accessible washrooms offers the option of equipping all types of washrooms, toilets and showers from one source. The range also includes extensive accessories.




**LIQUID
SOAP DISPENSER**
A LINE WP 102
 950 ml bottle

HAND CLEANING

_ MOUNTING TYPES	P. 32
_ GOOD TO KNOW	
WALL MOUNTED SOAP DISPENSERS	P. 34
TABLETOP SOAP DISPENSERS	P. 36
_ WALL MOUNTING	
A-LINE	P. 38
P-LINE AND L-LINE	P. 40
HAND CARE COMBINATIONS	P. 41
_ CABINET/MIRROR MOUNTING	
CABINET MOUNTING	P. 42
BEHIND MIRROR MOUNTING	P. 43
_ DISINFECTANT DISPENSERS	P. 44
_ TABLETOP SOAP DISPENSERS	
CHROME-PLATED BRASS	P. 46
STAINLESS STEEL	P. 47


ON THE WALL



P-LINE
4 surface mounted models,
manual.



A-LINE
32 models for surface, flush, under-
counter or mirror/cabinet mounting,
manual or with sensor.



L-LINE
2 surface mounted models,
manual or with sensor.

INSTALLATION

IN THE WALL



FLUSH MOUNTING
Space-saving and easy care.

MOUNTING IN CABINET/BEHIND MIRROR

Virtually invisible dispensers for mounting behind the wall mirror or opening cabinet.



BEHIND CABINET/MIRROR



TABLETOP SOAP DISPENSERS
Close to the washbasin, matching the tap.

ON THE WASHBASIN

HIGHLY PRACTICAL

REALLY WIDE

opening of the soap dispensers makes refilling quick and easy. The dispensers, made of stainless steel material no. AISI 316L, are particularly corrosion-resistant and also easy to clean from the inside.



SOAP, FOAM OR HAND LOTION?

You can choose between disposable bottles or large containers for refillable tanks, regardless of the brand. This allows cost efficient operation of your washrooms in the long term.




CLEAN FILLING


PLUS POINTS

SENSOR DISPENSERS WITH EWAR® E-MODULE

are available as battery-powered or transformer-powered versions.



TOUCH LESS



PATENTED DRIP FREE SOAP PUMP

prevents soap residue on the edge of the washbasin or on the floor.

ONE HANDED



NO TOOLS

MODULAR DESIGN

Maintenance, conversion and replacement are as simple as refilling.

TALL SHAPES



TOWERING
soap dispensers for tabletop bowls

LONG LIFE



**EASY
MAINTENANCE**
The seals and other wear parts can be simply replaced on the tabletop soap dispensers as well.

PLUS POINTS

TWO FOLD



EASY REFILLING
conveniently from above by unscrewing the upper part of the dispenser, with anti-theft protection.



**SOAP
BOTTLES**
for tabletop soap dispensers are available in three sizes, usually invisible and therefore made from plastic. A 500 ml stainless steel bottle is available for visible mounting.



**STAINLESS
STEEL OR
CHROME-PLATED**
depending on requirements or to match the tap.

DOWN TOP

UNDER COVER



LIQUID SOAP DISPENSER
WP 107
 200 ml tank



LIQUID SOAP DISPENSER
WP 101
 500 ml bottle



LIQUID SOAP DISPENSER
WP 102
 950 ml bottle



FOAM SOAP DISPENSER
WP 103
 400 ml bottle



LIQUID SOAP DISPENSER
WP 105
 1000 ml tank

WP 101-1
 700 ml tank

WP 102-1
 850 ml plug-in tank

WP 106
 1000 ml tank



SENSOR LIQUID SOAP DISPENSER
WP 101e
 500 ml bottle



SENSOR LIQUID SOAP DISPENSER
WP 102e
 950 ml bottle



SENSOR LIQUID SOAP DISPENSER
WP 208e
 950 ml bottle



LIQUID SOAP DISPENSER
WP 208
 950 ml bottle

WP 102e-1
 850 ml plug-in tank

WP 208-5
 400 ml bottle



Accessories for liquid soap dispensers

937201
 850 ml plug-in tank

Compatible dispensers see table

923060
 3 V power supply unit for sensor soap dispenser

- surface
- flush
- A-Line
- Sensor technology

At a glance	Liquid soap dispensers / foam soap dispensers / sensor liquid soap dispensers									At a glance	Liquid soap dispensers / foam soap dispensers / sensor liquid soap dispensers					
	WP 107	WP 101	WP 101-1	WP 102	WP 102-1	WP 101e	WP 102e	WP 102e-1	WP 103		WP 105	WP 106	WP 208e	WP 208	WP 208-5	
Installation type	surface	surface	surface	surface	surface	surface	surface	surface	surface	surface	surface	flush	flush	flush	flush	
Contactless						■	■	■				■				
Capacity (ml)	200	500	700	950	850	500	950	850	400	1000	1000	950	950	400		
Container	tank	disp. bottle	tank	disp. bottle	plug-in tank	disp. bottle	disp. bottle	plug-in tank	disp. bottle	tank	tank	disp. bottle	disp. bottle	disp. bottle		
Optional plug-in tank		■		■		■	■					■	■			
Medium	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	foam soap concentrate	soap	soap	soap hand lotion	soap hand lotion	foam soap concentrate		
Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	
Fully welded housing	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
Cylinder lock	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
Width (mm)	70	70	70	80	80	85	85	85	80	148	148	148	148	148		
Height (mm)	170	270	270	298	298	257	298	298	298	148	148	448	448	448		
Depth (mm)	90	110	120	120	120	120	120	120	120	120	120	120	120	120		
Weight (kg)	0.8	1.7	1.2	2.4	1.4	2.1	2.8	1.8	2.4	2.0	2.0	4.4	4.0	3.4		
Incl. first fill		■		■		■	■		■			■	■	■		



LIQUID SOAP DISPENSER
PP 107
 P LINE 200 ml tank



LIQUID SOAP DISPENSER
PP 101
 P LINE 700 ml tank



LIQUID SOAP DISPENSER
PP 102
 P LINE 1100 ml tank



FOAM SOAP DISPENSER
PP 103
 P LINE 400 ml bottle



GLOVE DISPENSER
WP 123
 A LINE

PP 17
 P LINE 200 ml tank
 Not lockable



Accessories for hand care combinations

937201
 850 ml plug-in tank

923060
 3 V power supply unit for sensor hand care combination



LIQUID SOAP DISPENSER
L 109
 L LINE 950 ml bottle



SENSOR LIQUID SOAP DISPENSER
L 109e
 L LINE 500 ml bottle




HAND CARE COMBINATION
WP 575
 A LINE 950 ml bottles
 950 ml tank



SENSOR HAND CARE COMBINATION
WP 575e
 A LINE 950 ml bottles
 950 ml tank

Accessories

923060
 3 V power supply unit for sensor soap dispenser



At a glance	Liquid soap dispensers / foam soap dispensers					At a glance	Liquid soap dispensers / sensor liquid soap dispensers		Glove dispenser	Hand care combinations	
	PP 107	PP 17	PP 101	PP 102	PP 103		L 109	L 109e		WP 123	WP 575
Installation type	surface	surface	surface	surface	surface	Installation type	surface	surface	surface	surface	surface
Contactless						Contactless		■			■
Capacity (ml)	200	200	700	1100	400	Capacity (ml)/unit	950	500	1 box	3 x 950	3 x 950
Container	tank	tank	tank	tank	disposable bottle	Container	disposable bottle	disposable bottle		disp. bottle/tank	disp. bottle/tank
Medium	soap, hand lotion	soap, hand lotion	soap, hand lotion	soap, hand lotion	foam soap concentrate	Medium	soap, hand lotion	soap, hand lotion	disposable gloves	soap, hand lotion, disinfectant	soap, hand lotion, disinfectant
Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 304	AISI 316L	AISI 316L
Fully welded housing						Fully welded housing	■	■		■	■
Cylinder lock	■		■	■	■	Cylinder lock	■	■		■	■
Width (mm)	70	70	80	80	80	Width (mm)	148	148	250	298	298
Height (mm)	172	172	248	298	298	Height (mm)	298	298	138	298	298
Depth (mm)	90	90	120	120	120	Depth (mm)	130	130	88	121	121
Weight (kg)	0.8	0.8	1.0	1.1	2.4	Weight (kg)	2.9	3.3	1.1	5.3	6.4
Incl. first fill					■	Incl. first fill	■	■		■(soap, hand lotion)	■(soap, hand lotion)



LIQUID SOAP DISPENSER
WP 173
 950 ml bottle

LIQUID SOAP DISPENSER
WP 173-1
 200 ml tank

FOAM SOAP DISPENSER
WP 173-5
 400 ml bottle

Accessories for liquid soap dispensers

937201
850 ml plug-in tank
 Compatible dispensers see table

923060
3 V power supply unit for sensor soap dispenser

AC 425
soap pictogram
 Adhesive



SENSOR LIQUID SOAP DISPENSER
WP 173e
 950 ml bottle

SENSOR LIQUID SOAP DISPENSER
WP 173e-1
 200 ml tank



LIQUID SOAP DISPENSER
WP 174
 200 ml tank

LIQUID SOAP DISPENSER
WP 174-2
 950 ml bottle

FOAM SOAP DISPENSER
WP 174-5
 400 ml bottle

SENSOR LIQUID SOAP DISPENSER
WP 174e
 200 ml tank

SENSOR LIQUID SOAP DISPENSER
WP 174e-2
 950 ml bottle

- cabinet/mirror
- A-Line
- Sensor technology

At a glance	Liquid soap dispensers				
	WP 173	WP 173-1	WP 173-5	WP 173e	WP 173e-1
Installation type	cabinet	cabinet	cabinet	cabinet	cabinet
Filling	from above	from above	from above	from above	from above
Contactless				■	■
Capacity (ml)	500/850 / 950	200	400	500/850 / 950	200
Container	disposable bottle	tank	disposable bottle	disposable bottle	tank
Optional plug-in tank 850 ml	■			■	
Medium	soap, hand lotion	soap, hand lotion	foam soap concentr.	soap, hand lotion	soap, hand lotion
Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L
Width (mm)	67	67	67	87	87
Height (mm)	247 (221)	150	150	289 (251)	174
Depth (mm)	97	88	120	130	120
Weight (kg)	2.7	0.7	0.9	1.6	1.0
Incl. first fill	■		■	■	

At a glance	Liquid soap dispensers				
	WP 174	WP 174-2	WP 174-5	WP 174e	WP 174e-2
Installation type	behind mirror	behind mirror	behind mirror	behind mirror	behind mirror
Filling	from below	from below	from below	from below	from below
Contactless				■	■
Capacity (ml)	200	500/850 / 950	400	200	500/850 / 950
Container	tank	disposable bottle	disposable bottle	tank	disposable bottle
Optional plug-in tank 850 ml	■	■			■
Medium	soap, hand lotion	soap, hand lotion	foam soap concentr.	soap, hand lotion	soap, hand lotion
Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L
Width (mm)	69	91	69	86	86
Height (mm)	153	301 (263)	230	207	287 (248)
Depth (mm)	104	98	127	148	148
Weight (kg)	0.5	1.5	1.2	1.2	2.2
Incl. first fill		■	■		■



TABLETOP SOAP DISPENSER
WP 190
 chrome-plated brass



TABLETOP SOAP DISPENSER
WP 189-1
 chrome-plated brass



TABLETOP SOAP DISPENSER
WP 192-1
 chrome-plated brass



TABLETOP DISINFECTANT DISPENSER
WP 122-1
 chrome-plated brass



TABLETOP SOAP DISPENSER
WP 195-10
 stainless steel



TABLETOP DISINFECTANT DISPENSER
WP 122-3
 stainless steel



TABLETOP SOAP DISPENSER
WP 192-3
 stainless steel



TABLETOP SOAP DISPENSER
WP 189-3
 stainless steel



TABLETOP SOAP DISPENSER
WP 195
 stainless steel



TABLETOP SOAP DISPENSER
WP 193
 chrome-plated brass



TABLETOP SOAP DISPENSER
WP 191-1
 chrome-plated brass



TABLETOP SOAP DISPENSER
WP 191-3
 stainless steel



WALL SOAP DISPENSER
WP 194
 stainless steel

flush
 under-counter
 A-Line

At a glance	Tabletop soap and disinfectant dispensers in chrome-plated brass						At a glance	Tabletop and panel-mounted soap dispensers, disinfectant dispensers in stainless steel						
	WP 190	WP 189-1	WP 193	WP 191-1	WP 192-1	WP 122-1		WP 195-10	WP 189-3	WP 195	WP 122-3	WP 192-3	WP 191-3	WP 194
Installation type	washbasin	washbasin	washbasin	washbasin	washbasin	washbasin	Installation type	washbasin	washbasin	washbasin	washbasin	washbasin	washbasin	panel
Filling	from above	from above	from above	from above	from above	from above	Filling	from above	from above	from above	from above	from above	from above	centrally
Capacity (ml)	500	500	500	500	500	500	Capacity (ml)	500	500	500	500	500	500	central tank
Container	bottle	bottle	bottle	bottle	bottle	bottle	Container	bottle	bottle	bottle	bottle	bottle	bottle	tank
Medium	soap	soap	soap	soap	soap	disinfectant	Medium	soap	soap	soap	disinfectant	soap	soap	soap
Material	chrome-plated brass	chrome-plated brass	chrome-plated brass	chrome-plated brass	chrome-plated brass	chrome-plated brass	Material	stainless steel AISI 316L	stainless steel AISI 316L	stainless steel AISI 316L	stainless steel AISI 316L	stainless steel AISI 316L	stainless steel AISI 316L	stainless steel AISI 316L
Optional 250 ml / 1000 ml bottle	■	■	■	■	■	■	Optional 250 ml / 1000 ml bottle		■		■	■	■	
Optional 500 ml stainless steel bottle	■	■	■	■	■	■	Optional 500 ml stainless steel bottle		■		■	■	■	
Lockable		■	■				Lockable		■					
Width (mm)	40	32	45	38	38	30	Width (mm)	30	32	30	30	38	38	38
Height (mm)	63	111	82	62	208	86	Height (mm)	274	111	125	86	208	62	38
Depth (mm)	130	103	153	109	149	110	Depth (mm)	105	103	105	110	149	109	124
Projection (mm)	90	87	130	90	130	76	Projection (mm)	90	66	90	76	130	90	90
Weight (kg)	0.6	1.0	1.2	0.7	1.6	0,7	Weight (kg)	1.4	1,0	0,9	0,7	1.6	0.7	0.9



PAPER TOWEL DISPENSER

A LINE **WP 113**
approx. 500
paper towels

HAND DRYING

_ MOUNTING TYPES	P. 50
_ GOOD TO KNOW	P. 52
_ WALL MOUNTING	
A-LINE, L-LINE	P. 54
P-LINE	P. 55
_ CABINET MOUNTING	
MOUNTING BEHIND MIRRORS	P. 56
_ WALL MOUNTING	
TOWEL RAIL	P. 56
TISSUE DISPENSER	P. 57
_ UNDER-COUNTER MOUNTING	P. 57
_ WALL MOUNTING	
HOT AIR HAND DRYER	P. 58
ELECTR. PAPER ROLL DISPENSERS	P. 58

ON
THE WALL



P-LINE
4 lockable models and the open PP13 – ideal for small offices.



L-LINE
2 models with the characteristic square perforation.



A-LINE
4 towel dispensers, 2 electronic paper roll dispensers and 1 hand dryer.

INSTALLATION



FLUSH MOUNTING
A-Line with 2 models for 250 or 500 sheets.

IN
THE WALL



MOUNTING BEHIND MIRRORS
The WP 176 for refilling from below.

CABINET MOUNTING
The WP 175 for installation behind any opening front panel.



UNDER-COUNTER MOUNTING
Paper dispensing from the front or top, directly integrated into the washbasin.

BEHIND
CABINET/MIRROR

IN
THE WASHBASIN

FALL PROTECTION



PANEL RETAINERS
open the front panel only wide enough to allow refilling, or fully if required.

SIZE MATTERS



YOUR CHOICE
of paper. No specific brand is required for refilling. Only the folded paper size has to match.

ON AND ON




EASY PAPER DISPENSING
thanks to the outward embossed opening.

PLUS POINTS


HYGIENE ECONOMICAL



SENSOR PAPER ROLL DISPENSERS
are particularly hygienic and economical to use.



MODULAR DESIGN
All electrical/mechanical and electronic components of the units are installed in such a way that they can be quickly and easily repaired by replacing them.



SINGLE KEY CYLINDER LOCKS
ensure that the paper stays where it belongs. If you do not want a lock, choose the PP13.

EASY SERVICE

SAFELY STORED



PAPER TOWEL DISPENSER
WP 113
 approx. 500 paper towels



PAPER TOWEL DISPENSER
WP 111
 approx. 750 paper towels



PAPER TOWEL DISPENSER
WP 114
 approx. 250 paper towels



PAPER TOWEL DISPENSER
WP 112
 approx. 500 paper towels




PAPER TOWEL DISPENSER
PP 108
 approx. 250 paper towels



PAPER TOWEL DISPENSER
PP 113
 approx. 500 paper towels



PAPER TOWEL DISPENSER
PP 115
 approx. 500 paper towels



PAPER TOWEL DISPENSER
PP 111
 approx. 750 paper towels



PAPER TOWEL DISPENSER
L 113
 approx. 500 paper towels



PAPER TOWEL DISPENSER
L 111
 approx. 750 paper towels



PAPER TOWEL DISPENSER
PP 13
 open, approx. 500 paper towels

	surface
	flush
	A-Line
	P-Line
	L-Line

At a glance	Paper towel dispensers						At a glance	Paper towel dispensers				
	WP 113	WP 111	WP 114	WP 112	L 113	L 111		PP 108	PP 113	PP 115	PP 111	PP 13
Installation type	surface	surface	flush	flush	surface	surface	Installation type	surface	surface	surface	surface	surface
Fill quantity approx. (sheets)	500	750	250	500	500	750	Fill quantity approx. (sheets)	250	500	500 (narrow)	750	500
Folded paper size, approx., folding	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	Folded paper size, approx., folding	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	22 x 8.5 cm, V/Z/W	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z
Deep-drawn paper dispensing	■	■	■	■	■	■	Deep-drawn paper dispensing					
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Cylinder lock	■	■	■	■	■	■	Cylinder lock	■	■	■	■	
Width (mm)	298	298	298	298	298	298	Width (mm)	265	265	230	265	298
Height (mm)	298	448	298	448	298	448	Height (mm)	172	298	298	448	298
Depth (mm)	120	120	120	120	130	130	Depth (mm)	120	120	90	120	120
Weight (kg)	3.2	4.4	3.7	4.8	3.4	4.2	Weight (kg)	2.0	2.3	2.3	3.2	3.3
Incl. first fill	■	■	■	■	■	■	Incl. first fill					



PAPER TOWEL DISPENSER

WP 175
 approx. 500 paper towels



PAPER TOWEL DISPENSER

WP 176
 approx. 500 paper towels



PAPER TOWEL DISPENSER WITH DRAWER

WP 176-1
 approx. 500 paper towels



PAPER TOWEL DISPENSER

WP 165
 approx. 250 paper towels



PAPER TOWEL DISPENSER

WP 166
 approx. 250 paper towels



PAPER TOWEL DISPENSER

WP 170
 approx. 500 paper towels



TOWEL RAIL

AC 230
 width 300 mm


AC 231
 width 450 mm

AC 232
 width 600 mm



PAPER TOWEL DISPENSER

WP 117
 approx. 250 paper towels



TISSUE DISPENSER

WP 118
 1 Kleenex® box

Accessories

AC 426
 paper pictogram
 Adhesive



- surface
- cabinet/mirror
- under-counter
- A-Line

At a glance	Paper towel dispensers						At a glance	Paper towel dispensers				Tissue dispenser
	WP 175	WP 176	WP 176-1	AC 230	AC 231	AC 232		WP 165	WP 166	WP 170	WP 117	
Installation type	cabinet	behind mirror	behind mirror	surface	surface	surface	Installation type	washbasin front	washbasin front	washbasin front	washbasin top	surface
Filling	from above	from below	from front (drawer)				Filling	from front (flap)	from front (flap)	from front (drawer)	from above	folding panel
Fill quantity approx. (sheets)	500	500	500				Fill quantity approx. (sheets)	250	250	500	250	1 Kleenex® box
Folded paper size approx./folding	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z				Folded paper size approx./folding	25x11.5 cm, C/V/Z	25x11.5 cm, C/V/Z	25x11.5 cm, C/V/Z	25x11.5 cm, C/V/Z	
Deep-drawn paper dispensing		■	■				Deep-drawn paper dispensing	■	■	■		
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 303	AISI 303	AISI 303	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Fully welded housing		■	■				Fully welded housing	■	■	■		
Cylinder lock			■				Cylinder lock	■	■	■		
Width (mm)	298	298	298	300	450	600	Width (mm)	326	298	298	200	269
Height (mm)	298	360	385	58	58	58	Height (mm)	173	148	148	300	122.5
Depth (mm)	121	120	135	40	40	40	Depth (mm)	164	164	310	185	76
Weight (kg)	2.4	4.4	4.4	0.5	0.6	0.8	Weight (kg)	3.4	3.1	5.6	3.9	1.5
Incl. first fill	■	■	■				Incl. first fill	■	■	■	■	




HOT AIR HAND DRYER



ELECTRONIC TOUCH-FREE PAPER ROLL DISPENSER



ELECTRONIC TOUCH-FREE PAPER ROLL DISPENSER WITH RESERVE ROLL



At a glance	Hot air hand dryers	
	WP 1100	WP 1200
Installation type	surface	flush
Contactless	■	■
Connected load	2000 W	2000 W
SEV	■	■
Drying time	<30 s	<30 s
Relat. noise output	low	low
Stainless steel mat.no.	AISI 304	AISI 304
Fully welded housing	■	■
Width (mm)	298	298
Height (mm)	396	396
Depth (mm)	150	150
Weight (kg)	7.2	7.2

At a glance	Electronic touch-free paper roll dispenser				At a glance	Electronic touch-free paper roll dispenser			
	WP 1300	WP 1301	WP 1310	WP 1311		WP 1400	WP 1401	WP 1410	WP 1411
Installation type	surface	surface	flush	flush	Installation type	surface	surface	flush	flush
Contactless	■	■	■	■	Contactless	■	■	■	■
Connection	230 V / 50 Hz	4x 1.5 V batteries	230 V / 50 Hz	4x 1.5 V batteries	Connection	230 V / 50 Hz	4x 1.5 V batteries	230 V / 50 Hz	4x 1.5 V batteries
TÜV/GS	■		■		TÜV/GS	■		■	
Fill level	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	Fill level	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm
Reserve roll					Reserve roll	■	■	■	■
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304
Fully welded housing	■	■	■	■	Fully welded housing	■	■	■	■
Cylinder lock	■	■	■	■	Cylinder lock	■	■	■	■
Width (mm)	350	350	350	350	Width (mm)	350	350	350	350
Height (mm)	448	448	448	448	Height (mm)	580	580	580	580
Depth (mm)	210	210	210	210	Depth (mm)	210	210	210	210
Weight (kg)	10.3	10.3	10.3	10.3	Weight (kg)	12.4	12.4	12.4	12.4
Incl. first fill	■	■	■	■	Incl. first fill	■	■	■	■



WASTE BIN


A **WP 133**
LINE 12 litres

COLLECTING WASTE

_ MOUNTING TYPES	P. 62
_ GOOD TO KNOW	P. 64
_ WALL MOUNTING, TOP OPEN	
A-LINE, P-LINE	P. 66
L-LINE	P. 67
_ WALL MOUNTING	
FREE STANDING ON FLOOR, CLOSED	
A-LINE	P. 68
_ UNDER-COUNTER MOUNTING	
A-LINE, L-LINE	P. 69
_ WALL MOUNTING	
FREE STANDING ON FLOOR	
WASTE BINS A-LINE, P-LINE	P. 70
_ UNDER-COUNTER MOUNTING, FLAPS AND RINGS	
FRONT OPERATION	P. 72
TOP OPERATION	P. 73

ON THE WALL

L-LINE
5 models with and without square perforation.



P-LINE
4 surface mounted models with rounded edges.



A-LINE
12 models – wire baskets and containers – with and without deposit flap.



FLUSH MOUNTING
2 models A-Line with and without deposit flap.

IN THE WALL

UNDER COUNTER



UNDER-COUNTER MOUNTING
5 models – containers and wire baskets, for direct integration into the washbasin. Matching covers for operation from front or top.



INSTALLATION

BAG LESS


FABRIC STANDBAGS

made of tearproof, washable, fibre-reinforced material.
Easy to empty by removing the bag – no bin bags required.



WASTE BINS

are suitable for wall mounting, floor placement or integration into washbasins. Fixing is invisible thanks to eyelets in the second grid row. Available in stainless steel, chrome-plated or plastic-coated.



MULTI FUNCTIONAL

PLUS POINTS

WELL CONCEALED

DEPOSIT FLAPS

let waste disappear from sight.



SAFETY


for users and service personnel. All components are deburred inside and outside.




FINE WORK

ALL-ROUNDERS

are the WP 133 (surface mounted) and the WP 134 (flush mounted) with self-closing, fire-retardant deposit flaps. The matching hygiene insert turns these into hygiene waste bins.



MULTI PURPOSE



At a glance	Waste bins, open top							At a glance	Waste bins, open top				
	WP 126	WP 152	WP 183	PP 126	PP 152	PP 182	WP 147		L 186	L 184	L 133	L 187	L 185
Installation type	surface	surface	surface/floor	surface	surface	surface/floor	flush	Installation type	surface	surface/floor	surface	surface	surface/floor
Capacity (litres)	23	34	60	23	34	45	32	Capacity (litres)	24	32	12	24	32
Features	Fabric standbag	Fabric standbag	Fabric standbag	Fabric standbag	Fabric standbag	Fabric standbag	Waste basket	Features			Waste bin		
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Perforated front								Perforated front	■	■			
Cylinder lock								Cylinder lock			■		
Width (mm)	298	298	400	298	298	298	298	Width (mm)	298	298	298	298	298
Height (mm)	448	598	600	448	598	598	898	Height (mm)	448	598	598	448	598
Depth (mm)	170	190	250	170	190	250	220	Depth (mm)	180	180	140	180	180
Weight (kg)	3.8	5.6	7.4	3.0	3.4	3.6	11,5	Weight (kg)	3.8	4.7	5.4	3.8	4.7

Accessories

WP 18
plastic hygiene bin
- For WP 180
- For WP 181

WP 33
plastic hygiene bin
- For WP 133

WP 34
plastic hygiene bin
- For WP 134



-  surface
-  flush
-  washbasin
-  A-Line
-  L-Line

At a glance	Waste bins with deposit flap					At a glance	Waste bins for washbasin mounting				
	WP 181	WP 180	WP 134	WP 133	WP 131		WP 139	WP 188	WP 198	L 188	L 190
Installation type	surface/floor	surface/floor	flush	surface	surface	Installation type	washbasin	washbasin	washbasin	washbasin	washbasin
Capacity (litres)	36	36	11	12	16	Capacity (litres)	18	40	43	35	43
Fire-retardant deposit flap		top	front	front	front	Fire-retardant deposit flap	front	as an option	as an option	as an option	as an option
Waste bin	■	■	■	■	■	Waste bin	■		■		■
Plastic hygiene bin			opt. WP 34	opt. WP 33		Plastic hygiene bin					
Cylinder lock	■	■	■	■	■	Cylinder lock	■		■		■
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Fully welded housing	■	■	■	■	■	Fully welded housing	■	■	■	■	■
Perforated front						Perforated front			■	■	
Width (mm)	298	298	298	298	448	Width (mm)	298	298	298	298	298
Height (mm)	598	598	598	598	598	Height (mm)	448	448	450	448	450
Depth (mm)	308	308	120	140	120	Depth (mm)	310	300	510	297	510
Weight (kg)	9.6	9.6	5.7	5.7	7.9	Weight (kg)	7.1	7.5	8.0	5.8	8.0




WASTE BASKET

 **WP 151**
48 litres
chrome-plated

 **WP 151-1**
48 litres
stainless steel

 **WP 151-2**
48 litres
plastic coated



WASTE BASKET

 **WP 150**
72 litres
chrome-plated


 **WP 150-1**
72 litres
stainless steel

 **WP 150-2**
72 litres
plastic coated



WASTE BASKET

 **WP 201**
35 litres
chrome-plated



WASTE BASKET

 **WP 197**
44 litres
chrome-plated




WASTE BASKET

 **WP 196**
52.5 litres
chrome-plated



WASTE BASKET

 **PP 151**
60 litres
stainless steel



At a glance	Waste bins						At a glance	Waste bins			
	WP 151	WP 151-1	WP 151-2	WP 150	WP 150-1	WP 150-2		WP 201	WP 197	WP 196	PP 151
Installation type	surface/floor	surface/floor	surface/floor	surface/floor	surface/floor	surface/floor	Installation type	surface/ under-counter	surface/ under-counter	surface/ under-counter	surface/floor
Capacity (litres)	48	48	48	72	72	72	Capacity (litres)	35	44	52.5	60
Surface	chrome-plated	stainless steel	plastic coated	chrome-plated	stainless steel	plastic coated	Surface	chrome-plated	chrome-plated	chrome-plated	stainless steel
Wall fixing eyelet in 2nd grid row	■	■	■	■	■	■	Wall fixing eyelet in 2nd grid row	■	■	■	■
Width (mm)	400	400	400	400	400	400	Width (mm)	350	350	350	400
Height (mm)	600	600	600	600	600	600	Height (mm)	400	500	600	600
Depth (mm)	200	200	200	300	300	300	Depth (mm)	250	250	250	250
Weight (kg)	1.1	1.1	1.1	1.3	1.3	1.3	Weight (kg)	0.9	0.9	1.1	2.9



SWING FLAP WITH
INSTALLATION FRAME

 **WP 135**



SWING FLAP WITH
INSTALLATION FRAME

 **WP 136**



WASTE DEPOSIT FLAP
SELF-CLOSING

 **WP 158-1**



WASTE DEPOSIT FLAP
SELF-CLOSING

 **WP 154**



WASTE DEPOSIT FLAP
SELF-CLOSING

 **WP 154-1**



WASTE DISPOSAL FRAME

 **WP 146-1**



WASTE DISPOSAL RING

 **WP 159-1**



WASTE DISPOSAL FRAME

 **WP 145**



WASTE DISPOSAL RING

 **WP 159**



At a glance	Waste deposits								
	WP 135	WP 136	WP 146-1	WP 159-1	WP 158-1	WP 154	WP 154-1	WP 145	WP 159
Installation type	washbasin front	washbasin front	washbasin front	washbasin front	washbasin top				
Self-closing	■	■			■	■	■		
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Width (mm)/diameter	298	326	298	Ø 150	170	170	300	170	Ø 150
Height (mm)	148	173	148		170	235	235	170	
Depth (mm)	32	32	20	20	30	30	30	100	100
Weight (kg)	0.8	0.8	0.5	0.2	0.9	0.9	1.5	0.7	0.4



COMBINATION

IA WP 535
LINE

COMBI- NATIONS

_ MOUNTING TYPES	P. 76
_ GOOD TO KNOW	P. 78
_ WALL MOUNTING (SOAP, PAPER, WASTE)	P. 80
_ WASHBASIN MOUNTING (PAPER, WASTE)	P. 84
_ WALL MOUNTING (PAPER, WASTE)	P. 85
_ WALL MOUNTING (SOAP, PAPER) MIRROR CABINETS AND MIRRORS	P. 88



SURFACE MOUNTING
Flexible and quick mounting.

INSTALLATION

FLUSH MOUNTING
Elegant and requires less cleaning. The models WP 610 and WP 612 can be installed flush with tiles.



UNDER
THE WASHBASIN

UNDER-COUNTER MOUNTING
for the space underneath the open washbasin.



PLUS POINTS

SPACE- SAVING

ALL
INCLUSIVE



WASTE BASKET
included with all combinations.



COMBINATIONS
save space and installation time and look attractive!



FIRST FILL
is included with soap and/or paper towel dispensers.

**READY
TO GO**



MODULAR DESIGN
Each wear part and the housing front can easily be replaced.

**RETAIN
VALUES**

COMBINATION



WP 500e
sensor
soap dispenser



WP 510e
sensor
soap dispenser



COMBINATION



WP 500
soap dispenser



WP 500-5
foam soap
dispenser



WP 510
soap dispenser



WP 510-5
foam soap
dispenser




Accessories

WP 34
plastic hygiene bin

937201
850 ml plug-in tank

Compatible dispensers see table

923060
3 V power supply unit for
sensor soap dispenser



At a glance	Combinations (soap, paper, waste)					
	WP 500e	WP 510e	WP 500	WP 500-5	WP 510	WP 510-5
Installation type	flush	surface	flush	flush	surface	surface
Contactless soap dispenser	■	■				
Capacity (ml)	950	950	950	400	950	400
Container	disposable bottle	disposable bottle	disposable bottle	disposable bottle	disposable bottle	disposable bottle
Optional plug-in tank 850 ml	■	■	■		■	
Medium	soap, hand lotion	soap, hand lotion	soap, hand lotion	foam soap concentrate	soap, hand lotion	foam soap concentrate
Fill quantity paper towels approx. (sheets)	250	250	250	250	250	250
Folded paper size, approx., folding	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z
Capacity of waste basket (litres)	11	11	11	11	11	11
Optional plastic sanitary bin	■	■	■	■	■	■
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Cylinder lock	■	■	■	■	■	■
Width (mm)	298	298	298	298	298	298
Height (mm)	1348	1348	1348	1348	1348	1348
Depth (mm)	120	120	120	120	120	120
Weight (kg)	15.8	15.8	15.4	14.9	15.4	14.9
Incl. first fill	■	■	■	■	■	■



COMBINATION




COMBINATION



COMBINATION



COMBINATION



At a glance	Combinations (soap, paper, waste)				At a glance	Combinations (soap, paper, waste)			
	WP 5415	WP 5410	WP 5715	WP 5710		WP 5425	WP 5420	WP 5725	WP 5720
Installation type	surface	flush	surface	flush	Installation type	surface	flush	surface	flush
Capacity (ml)	950	950	950	950	Capacity (ml)	950	950	950	950
Container	disposable bottle	disposable bottle	disposable bottle	disposable bottle	Container	disposable bottle	disposable bottle	disposable bottle	disposable bottle
Medium	soap, hand lotion	soap, hand lotion	soap, hand lotion	soap, hand lotion	Medium	soap, hand lotion	soap, hand lotion	soap, hand lotion	soap, hand lotion
Fill quantity paper towels approx. (sheets)	500	500	750	750	Fill quantity paper towels approx. (sheets)	500	500	750	750
Folded paper size, approx., folding	25x11.5 cm, V/Z	25x11.5 cm, V/Z	25x11.5 cm, V/Z	25x11.5 cm, V/Z	Folded paper size, approx., folding	25x11.5 cm, V/Z	25x11.5 cm, V/Z	25x11.5 cm, V/Z	25x11.5 cm, V/Z
Capacity of waste basket (litres)	48	48	72	72	Capacity of waste basket (litres)	48	48	72	72
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304
Cylinder lock	■	■	■	■	Cylinder lock	■	■	■	■
Width (mm)	448	448	448	448	Width (mm)	448	448	448	448
Height (mm)	1198	1198	1348	1348	Height (mm)	1198	1198	1348	1348
Depth (mm)	220	220	320	320	Depth (mm)	220	220	320	320
Weight (kg)	20.6	20.6	26.7	26.7	Weight (kg)	21.6	21.6	30.4	30.4
Incl. first fill	■	■	■	■	Incl. first fill	■	■	■	■

**COMBINATION**

 **WP 511**
shown with console

COMBINATION

 **WP 520**

**COMBINATION**

 **WP 5455**
transformer powered

 **WP 5456**
battery powered

 **WP 5450**
transformer powered

 **WP 5451**
battery powered

Accessories

735630
Floor base

727652
Wall console

 surface

 flush

 washbasin

 A-Line

 Sensor technology

At a glance	Combinations (paper, waste)	
	WP 511	WP 520
Installation type	washbasin/surface	washbasin
Fill quantity paper towels approx. (sheets)	250	500
Folded paper size, approx., folding	25x11.5 cm, C/V/Z	25x11.5 cm, C/V/Z
Capacity of waste basket (litres)	11	18
Fire-retardant deposit flap	■	■
Stainless steel mat.no.	AISI 304	AISI 304
Cylinder lock	■	■
Width (mm)	298	298
Height (mm)	645	596
Depth (mm)	164	310
Weight (kg)	8.5	11.9
Incl. first fill	■	■

At a glance	Combinations (paper roll, waste)			
	WP 5455	WP 5456	WP 5450	WP 5451
Installation type	surface	surface	flush	flush
Contactless paper roll dispenser	■	■	■	■
Connection	230 V / 50 Hz	4x1.5 V batteries	230 V / 50 Hz	4x1.5 V batteries
Fill level	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm
TÜV/GS	■	■	■	■
Changeable function module	■	■	■	■
Waste basket, capacity (litres)	48	48	48	48
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304
Cylinder lock	■	■	■	■
Width (mm)	448	448	448	448
Height (mm)	1348	1348	1348	1348
Depth (mm)	220	220	220	220
Weight (kg)	25.8	25.8	25.8	25.8
Incl. first fill	■	■	■	■



COMBINATION

WP 506


COMBINATION

WP 550
soap dispenser

WP 550e
sensor soap dispenser

WP 550-5
foam soap dispenser


MIRROR CUPBOARD

WP 600
soap dispenser

WP 600e
sensor soap dispenser

WP 600-5
foam soap dispenser


MIRROR CUPBOARD

WP 650
soap dispenser

WP 650e
sensor soap dispenser

WP 650-5
foam soap dispenser


STAINLESS STEEL MIRROR

WP 601 - WP 604

Accessories

937201
850 ml plug-in tank

Compatible dispensers see table

923060
3 V power supply unit for
sensor soap dispenser

727853
lighting set for WP 600

727893
lighting set for WP 650

surface

flush

A-Line

 Sensor
technology

At a glance	Combinations (soap, paper)				Mirror cupboards with integrated soap and paper dispenser					
	WP 506	WP 550	WP 550e	WP 550-5	WP 600	WP 600e	WP 600-5	WP 650	WP 650e	WP 650-5
Installation type	flush	surface	surface	surface	surface	surface	surface	surface	surface	surface
Contactless soap dispenser			■			■			■	
Capacity of soap dispenser (ml)	1000	500	500	400	950	950	400	950	950	400
Container	tank	disp. bottle	disp. bottle	disp. bottle	disp. bottle	disp. bottle	disp. bottle	disp. bottle	disp. bottle	disp. bottle
Optional plug-in tank 850 ml					■	■		■	■	
Medium	soap hand lotion	soap hand lotion	soap hand lotion	foam soap concentrate	soap hand lotion	soap hand lotion	foam soap concentrate	soap hand lotion	soap hand lotion	foam soap concentrate
Fill quantity paper towels approx. (sheets)	250	500	500	500	500	500	500	750	750	750
Folded paper size approx./folding	25x23 cm, C/V/Z	25x23 cm, V/Z	25x23 cm, V/Z	25x23 cm, V/Z	25x23 cm, V/Z	25x23 cm, V/Z	25x23 cm, V/Z	25x23 cm, V/Z	25x23 cm, V/Z	25x23 cm, V/Z
Optional lighting kit					■	■	■	■	■	■
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Cylinder lock	■	■	■	■	■	■	■	■	■	■
Width (mm)	448	400	400	400	450	450	450	600	600	600
Height (mm)	148	298	298	298	450	450	450	600	600	600
Depth (mm)	164	120	120	120	130	130	130	130	130	130
Weight (kg)	4.3	4.4	4.8	3.9	11.5	11.9	11.0	19.4	19.8	18.9
Incl. first fill	■ (paper)	■	■	■	■	■	■	■	■	■

At a glance	Stainless steel mirrors*			
	WP 601	WP 602	WP 603	WP 604
Installation type	surface	surface	surface	surface
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304
Width (mm)	600	600	800	700
Height (mm)	600	400	400	500
Weight (kg)	2.9	2.0	2.7	2.8

* Other dimensions available on request.

TAP



WA 100
Normal pressure



TAPS

_ MATERIAL: STAINLESS STEEL AISI 303

_ VARIANTS

SHORT/LONG LEVER

LOW/HIGH VERSION

NORMAL PRESSURE/LOW PRESSURE

_ HIGH QUALITY COMPONENTS

KERAMITAL® CARTRIDGE, NEOPERL® AERATOR



TAP

WA 100
normal pressure

WA 200
low pressure



TAP

WA 100-1
normal pressure

WA 200-1
low pressure



TAP

WA 500
normal pressure



TAP

WA 110
normal pressure

WA 210
low pressure



TAP

WA 110-1
normal pressure

WA 210-1
low pressure



TAP

WA 510
normal pressure



Accessory
WP 199 - Siphon cover
for drain kits with trap DN 32
see table

washbasin
 A-Line


At a glance	Stainless steel taps					At a glance	Stainless steel taps					Siphon cover
	WA 100	WA 200	WA 100-1	WA 200-1	WA 500		WA 110	WA 210	WA 110-1	WA 210-1	WA 510	
Version	normal pressure	low pressure	normal pressure	low pressure	normal pressure	Version	normal pressure	low pressure	normal pressure	low pressure	normal pressure	
Stainless steel mat.no.	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	Stainless steel mat.no.	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 304
Outlet height (mm)	84	84	84	84	92	Outlet height (mm)	198	198	198	198	201	
Projection outlet (mm)	120	120	120	120	97	Projection outlet (mm)	120	120	120	120	97	
Length of lever (mm)	40	40	140	140	65	Length of lever (mm)	40	40	140	140	65	
Ceramic mixer cartridge	■	■	■	■	■	Ceramic mixer cartridge	■	■	■	■	■	
Adjustable temperature limiter	■	■	■	■	■	Adjustable temperature limiter	■	■	■	■	■	
Neoperl® aerator	■	■	■	■	■	Neoperl® aerator	■	■	■	■	■	
Width (mm)/diameter	45	45	45	45	50	Width (mm)/diameter	45	45	45	45	50	Ø 121
Height (mm)	170	170	185	185	172	Height (mm)	283	283	283	283	281	268
Depth (mm)	155	155	155	155	161	Depth (mm)	155	155	185	185	161	
Weight (kg)	1.6	1.9	1.6	1.9	2.3	Weight (kg)	1.7	2.0	1.7	2.0	2.9	




ACCURATE INDIVIDUAL CUSTOMISED

SPECIAL DESIGNS

We can do other things, too! To supplement our standard range, we offer special customer solutions: product adaptations as well as completely new designs from one source and within a short time; from sketch to finished product – thanks to in-house design and production in Reutlingen.





SATIN GLOSSY COLOURFUL

ALTERNATIVE SURFACES

Our products have a so-called Duplo coating as a standard: they are satin finished and additionally brushed – the best possible process for an easy care, hygienic surface. Alternatively, we can also supply many products with a highly polished (mirror shine) surface or with powder coating in almost any RAL colour (4 digit code). Whatever you require to match your interior design or your wishes.

**TOILET ROLL HOLDER
FOR 4 ROLLS**
 **WP 163-S**
 3 reserve rolls

TOILET BRUSH SET

 **AC 261**

**HYGIENE
WASTE BIN**
 **WP 177**

TOILET FITTINGS AND ACCESSORIES

_ GOOD TO KNOW

HOLDERS AND BRUSHES

P. 100

HYGIENE AND BABY

P. 102

_ TOILET PAPER HOLDERS/DISPENSERS

CLOSED VERSION

LARGE ROLL DISPENSER,
WET WIPE DISPENSER

P. 105

_ TOILET PAPER HOLDERS

OPEN VERSION

RESERVE ROLL HOLDER

P. 106

_ BRUSH SETS

P. 107

_ HOOKS, STOPPERS & CO.

P. 108

_ FEMALE HYGIENE

SANITARY BAG DISPENSER

P. 110

HYGIENE WASTE BIN

P. 110

_ NAPPY CHANGERS

P. 112

PAPER ROLL DISPENSER FOR NAPPY CHANGER

P. 112

NAPPY BIN

P. 113

_ PICTOGRAMS

P. 114

HIDDEN AWAY



CONCEALED RESERVE ROLL
reduces service work, remains hygienically concealed and drops down automatically when the other roll is finished. The empty cardboard roll remains in the unit (WP 164/167).

ON DISPLAY




CLOSED HOLDER
with cover, lockable. Hygienic and with tear-off edge.



OPEN HOLDER
without cover, reduced to the essentials.

FREE TO MOVE

HOLDERS AND BRUSHES



LARGE SCALE DISTRIBUTION
from the WP 163-p. It offers one toilet paper roll for use and three more concealed as spares; these automatically drop down when needed.


AWAY STORED

STEAD FAST

TOILET BRUSH SET
The brush virtually floats in the stainless steel holder which is also easy to clean.



DUAL
USE



INTEGRATED BAG DISPENSER
Our hygiene waste bins are available with and without an integrated sanitary bag dispenser.

SIGHT
OUT OF



INSERTION SLUICES
in the sanitary bins WP 177-1 and WP 179-2 discreetly conceal the contents.


BOTTOM
LESS



HYGIENE INSERT
made of plastic, with internal radii. Easy to remove from below by lifting up, for long term hygiene.


HYGIENE AND BABY

GENTLE
NATURE



GAS PRESSURE SPRINGS
ensure easy opening and closing of our Nappy changers.

SQUEAKY
CLEAN



A SMALL FOOTPRINT
is all the nappy changers need for wall fixing. They are TÜV tested and certified.

GUARDIAN
ANGEL



SURFACE
made of polypropylene, molded. It never feels cold, is free from harmful substances and can be disinfected.



TOILET ROLL HOLDER



TOILET ROLL HOLDER



TOILET ROLL HOLDER



LARGE ROLL HOLDER



TOILET ROLL HOLDER FOR 4 ROLLS



TOILET ROLL HOLDER



TOILET PAPER SINGLE SHEET DISPENSER




WET WIPE DISPENSER



Accessories

923290
conversion kit from
WP 163 to WP 163-S
For WP 163

923290
conversion kit from
WP 163-S to WP 163
For WP 163-S



At a glance	Toilet roll holders, closed design					At a glance	Toilet roll holders, closed design		
	WP 148	WP 149	WP 157	WP 164	WP 167		WP 163	WP 163-S	WP 169
Installation type	surface	surface	flush	surface	flush	Installation type	surface	surface	surface
No. of toilet rolls	1	2	1	1	1	No. of toilet rolls	1 large roll Ø280mm	1	500 single sheets
No. of reserve rolls				1	1	No. of reserve rolls		3	
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304
Cylinder lock	■	■		■	■	Cylinder lock	■	■	■
Width (mm)	140	240	163	148	148	Width (mm)	353	353	120
Height (mm)	110	110	170	348	348	Height (mm)	350	350	298
Depth (mm)	90	90	100	150	150	Depth (mm)	120	120	120
Weight (kg)	0.7	0.9	1.1	3.2	3.2	Weight (kg)	4.8	6.1	2.5

At a glance	Wet wipe dispenser
	WP 119
Installation type	surface
Filling	1 wet wipe box
Box dimensions (mm)	165x78x121
Stainless steel mat.no.	AISI 304
Cylinder lock	
Width (mm)	172
Height (mm)	79
Depth (mm)	130
Weight (kg)	1.3



TOILET ROLL HOLDER
AC 220
 A LINE



TOILET ROLL HOLDER
AC 250
 A LINE



TOILET ROLL HOLDER
AC 252
 A LINE



TOILET ROLL HOLDER
PC 250
 P LINE



RESERVE TOILET ROLL HOLDER
AC 222
 A LINE 1 roll



RESERVE TOILET ROLL HOLDER
PC 222
 P LINE 1 roll



RESERVE TOILET ROLL HOLDER
AC 225-2
 A LINE 2 rolls



RESERVE TOILET ROLL HOLDER
AC 225-3
 A LINE 3 rolls



TOILET ROLL STORAGE CONTAINER
WP 168
 A LINE 5 reserve rolls



TOILET BRUSH SET

WP 161
 A LINE

WP 162
 A LINE



TOILET BRUSH SET

AC 261
 A LINE




TOILET BRUSH SET

AC 221
 A LINE With holder



TOILET BRUSH SET

PC 261
 P LINE



At a glance	Toilet roll holders, open design				Reserve toilet roll holder				Reserve toilet roll container
	AC 220	AC 250	AC 252	PC 250	AC 222	PC 222	AC 225-2	AC 225-3	WP 168
Installation type	surface	surface	surface	surface	surface	surface	surface	surface	surface
No. of toilet rolls	1	1	2	1					
No. of reserve rolls					1	1	2	3	5 (4 concealed)
Bar diameter (mm)	12	12	12	8	12	8	12	12	
Stainless steel mat.no.	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 304
Concealed fixing	■	■	■		■		■	■	
Width (mm)/diameter	150	135	260	144	∅ 40	∅ 45	45	45	120
Height (mm)	92	110	110	107			233	333	680
Depth (mm)	40	66	66	36	80	80	110	110	130
Weight (kg)	0.4	0.4	0.8	0.3	0.2	0.2	0.7	0.8	2.6

At a glance	Brush sets				
	WP 161	WP 162	AC 261	AC 221	PC 261
Installation type	flush	surface	surface	surface	surface
Closed design	■	■			
Brush holder	stainless steel	stainless steel	stainless steel	stainless steel	plastic
Stainless steel mat.no.	AISI 304	AISI 304	AISI 303	AISI 303	AISI 304
Concealed fixing	■	■	■	■	(■)
Width (mm)	148	148	97	97	110
Height (mm)	448	448	380	430	410
Depth (mm)	120	120	129	129	115
Weight (kg)	3.5	3.5	1.4	1.4	1.4



WALL HOOK



SINGLE HOOK



DOUBLE HOOK



SINGLE HOOK



FLOOR DOOR STOP



FLOOR DOOR STOP

WALL-MOUNTED
DOOR BUFFERWALL-MOUNTED DOOR
BUFFER WITH HOOKWALL-MOUNTED
DOOR BUFFER

SOAP SHELL



ASHTRAY



At a glance	Wall hooks				Wall-mounted door buffer			At a glance	Floor door stops	
	AC 214	AC 215	AC 216	PC 215	AC 219	AC 217	AC 218		AC 228	AC 227
Installation type	surface	surface	surface	surface	surface	surface	surface	Installation type	surface	surface
Stainless steel mat.no.	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	Stainless steel mat.no.	AISI 303	AISI 303
Concealed fixing	■	■	■		■	■	■	Concealed fixing	■	■
Diameter	Ø 16	Ø 45	Ø 45	Ø 45	Ø 16	Ø 45	Ø 45	Diameter	Ø 40	Ø 40
Depth (mm)	22	36	45	36	26	76	110	Depth (mm)	26	40
Weight (kg)	0.1	0.2	0.2	0.1	0.1	0.2	0.3	Weight (kg)	0.2	0.2

At a glance	Soap shell	Ashtray
	AC 270	AC 211
Installation type	surface	surface
Stainless steel mat.no.	AISI 303	AISI 303
Concealed fixing	■	■
Width	125	125
Height	89	89
Depth (mm)	45	45
Weight (kg)	0.6	0.6



SANITARY BAG STORAGE CONTAINER
WP 155

HYGIENE WASTE BIN
WP 137

HYGIENE WASTE BIN
WP 138

HYGIENE WASTE BIN
WP 140

HYGIENE WASTE BIN
WP 177

HYGIENE WASTE BIN
WP 177-1
With insertion sluce


HYGIENE WASTE BIN
WP 177-2



SANITARY BAG DISPENSER
WP 156

SANITARY BAG DISPENSER
WP 156-1

SANITARY BAG DISPENSER
WP 256



HYGIENE WASTE BIN
WP 179

HYGIENE WASTE BIN
WP 179-1
With insertion sluce

HYGIENE WASTE BIN
WP 179-2

 surface
 flush
 A-Line

At a glance	Sanitary bag dispensers, sanitary bag storage containers				Sanitary bins			At a glance	Sanitary bins					
	WP 155	WP 156	WP 156-1	WP 256	WP 137	WP 138	WP 140		WP 177	WP 177-1	WP 177-2	WP 179	WP 179-1	WP 179-2
Installation type	surface	surface	surface	flush	surface	flush	surface	Installation type	surface	surface	surface	surface	surface	surface
Filling	paper sanitary bags	1 box plastic sanitary bags	1 box plastic sanitary bags	1 box plastic sanitary bags	paper sanitary bags	paper sanitary bags	paper sanitary bags	Filling	1 box plastic sanitary bags	1 box plastic sanitary bags	1 box plastic sanitary bags			
Capacity of waste basket (litres)					5	5	12	Capacity of waste basket (litres)	5	5	12	5	5	12
With insertion sluce								With insertion sluce		■			■	
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Cylinder lock			■	■	■	■		Cylinder lock						
Width (mm)	298	100	100	148	298	298	282	Width (mm)	220	220	300	200	200	300
Height (mm)	148	130	170	148	448	598	392	Height (mm)	250	344	398	250	344	398
Depth (mm)	100	25	25	50	120	120	203	Depth (mm)	115	115	155	115	115	155
Weight (kg)	1.3	0.6	0.6	0.8	5.9	5.9	6,4	Weight (kg)	2.8	3.9	5.7	2.5	3.6	5.5
Incl. first fill		■	■	■				Incl. first fill	■	■	■			

NAPPY CHANGER

 WP 2015


NAPPY CHANGER

 WP 2010
PAPER ROLL DISPENSER
FOR NAPPY CHANGER
 WP 2405



NAPPY CHANGER

 WP 2115


NAPPY CHANGER

 WP 2110

NAPPY BIN


 WP 2505


At a glance	Nappy changers	
	WP 2015	WP 2010
Installation type	surface	flush
Version	horizontal	horizontal
Molded resting surface	■	■
TÜV tested	■	■
Tested load (kg)	160	160
Load capacity (kg)	15	15
Stainless steel mat.no.	AISI 304	AISI 304
Width (mm)	910	900
Height (mm)	576	566
Depth (mm)	135	135
Weight (kg)	25.2	25.2

At a glance	Paper roll dispenser for nappy changer
	WP 2405
Installation type	surface
Filling	from front
Fill level	1 roll
Fully welded housing	■
Cylinder lock	■
Stainless steel mat.no.	AISI 304
Width (mm)	435
Height (mm)	148
Depth (mm)	148
Weight (kg)	3,8

At a glance	Nappy changers	
	WP 2115	WP 2110
Type of installation	surface	flush
Version	vertical	vertical
Molded resting surface	■	■
TÜV tested	■	■
Tested load (kg)	160	160
Load capacity (kg)	15	15
Stainless steel mat.no.	AISI 304	AISI 304
Width (mm)	540	530
Height (mm)	946	936
Depth (mm)	135	135
Weight (kg)	26.7	26.7

At a glance	Nappy bin
	WP 2505
Type of installation	floor
Filling	standard garbage bags
Capacity of waste bin (litres)	36
With insertion sluice	■
Stainless steel mat.no.	AISI 304
Cylinder lock	■
Width (mm)	298
Height (mm)	780
Depth (mm)	310
Weight (kg)	13,0



HINGED SUPPORT RAIL



BARRIER-FREE LIVING

_ AREAS OF APPLICATION	P. 118
_ GOOD TO KNOW	P. 120
_ TOILET AND WASHBASIN	
SUPPORT AND GRAB RAILS	P. 122
ADJUSTABLE MIRROR	P. 123
_ SHOWER	
SHOWER RAILS WITH SHOWER RISER, SHOWER GRAB RAILS	P. 124
SHOWER CURTAIN RAILS	P. 125

AREAS OF APPLICATION

FOR THE TOILET



WC HELPERS
(Folding) support rail, backrest, call button, toilet roll holder for accessible toilets.

IN THE SHOWER




SHOWER UNIT
Shower grab rail with or without riser rail, shower curtain rail, clip-in seat and other accessories for accessible showers.



ADJUSTABLE
(Folding) support rail and adjustable mirror for accessible sinks.

ON THE WASHBASIN

SAFE GRIP



GRIPPY
ideal 32 mm tube diameter, satin finish or with textured anti-slip surface for a safe grip.

PLUS POINTS



OTHER DIMENSIONS
are available in almost all intermediate sizes upon request.

LENGTH DEPENDENT



FOR YOUR SAFETY
all handles are TÜV certified to DIN EN 12182 and have a load capacity up to 125 kg.

TO TESTED



HINGED
support rails BF 670 offer best possible accessibility. The stainless steel joint keeps the rail in any position when it is released.

FREE ACCESS



CONCEALED FIXING
with freely rotating 8-point fixing plate and 2-component wall sealing disc. That is fast, clean, hygienic and theft resistant.

PERFECT SEATING



WALL TO FLOOR SUPPORT RAIL
BF 660



SUPPORT RAIL
BF 611



HINGED SUPPORT RAIL
BF 670



GRAB RAIL
BF 600
Straight



ANGLED GRAB RAIL
BF 620
90°



ANGLED GRAB RAIL
BF 630
45°



ANGLED GRAB RAIL
BF 635
135°



ADJUSTABLE MIRROR
BA 300
angle +/- 15°



Accessories

BA 010 toilet roll holder
- For (hinged) support rails
- Permanently welded



BA 017 pre-installed fixing plate
- For retrofitting of a (hinged) support rail



BA 063 flush device
- For large and small flush volume
- Compatible with 868.4 MHz systems




BA 020 flush and call devices
- Compatible with 868.4 MHz radio control flush system



BA 025 call receiver
- Compatible with 868.4 MHz systems



BA 250 removable back rest for toilet seat
- Includes 500 mm rail
- Surface made of black PU



At a glance	Wall to floor support rail	Support rails			Grab rails	Angled grab rails			Adjustable mirror
	BF 660	BF 611	BF 670		BF 600	BF 620	BF 630	BF 635	BA 300
Installation type	surface	surface	surface		surface	surface	surface	surface	surface
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304		AISI 304	AISI 304	AISI 304	AISI 304	AISI 304 polished
Length x width (mm)/weight (kg)	850x850/4.0	500/2.4	600/4.6		300 / 1,2	650x350/2.2	500x270/1.9	700x150/2.1	600x540x90/9.0
	900x900/4.1	600/2.7	700/4.9		400 / 1,3	750x350/2.2			angle +/- 15°
		700/3.0	850/5.4		500 / 1,5				
		850/3.5			600 / 1,6				
					1000 / 2,2				
Special sizes available	■	■	■		■	■	■	■	■
Left/right versions	■					■	■	■	■
Satin surface	■	■	■		■	■	■	■	
Textured surface	■	■	■		■	■	■	■	
Incl. fixing material	■	(optional)	(optional)		■	■	■	■	■



SHOWER RAIL W. SHOWER RISER
BF 601
 Straight

SHOWER RAIL W. SHOWER RISER
BF 625
 90°



SHOWER GRAB RAIL
BF 640
 With shower riser

SHOWER GRAB RAIL
BF 650



SHOWER CURTAIN RAIL
BF 680
 Corner, with ceiling suspension



SHOWER CURTAIN RAIL
BF 690
 Straight



Accessories

BA 030 showerhead holder
 - Nylon, grey
 - Continuously height adjustable and rotating

BA 260 corner basket
 - Chrome-plated brass

BA 270 basket, straight
 - Chrome-plated brass

BA 200 removable folding seat
 - Chrome-plated brass
 - Black PU seat

Accessories

BA 210 fixed folding seat
 - Chrome-plated brass
 - Black PU seat

BA 220 fixed back rest for folding seat
 - Black PU surface



BA 044 shower curtain ring
 - Plastic



At a glance	Shower rails with shower riser		Shower grab rails		At a glance	Shower curtain rails	
	BF 601	BF 625	BF 640	BF 650		BF 680*	BF 690
Installation type	surface	surface	surface	surface	Installation type	surface	surface
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304
Length x width (mm)/weight (kg)	600 / 2.0	1100x600 / 3.9	700x700x1150 / 6.0	700x700 / 3.1	Length x width (mm)/weight (kg)	900x900 / 3.4	900 / 2.1
	800 / 2.3		800x800x1150 / 6.2	800x800 / 3.4		1000x1000 / 3.6	1000 / 2.3
	1000 / 2.6		900x900x1150 / 6.5	900x900 / 3.7		1200x1200 / 4.2	1200 / 2.5
	1100 / 2.7					1500x1500 / 5.1	1500 / 3.0
Special sizes available	■	■	■	■	Special sizes available	■	■
Left/right versions		■	■		Left/right versions	■	
Matt surface	■	■	■	■	Matt surface	■	■
Textured surface			■	■	Textured surface		
Incl. fixing material	■	■	■	■	Incl. fixing material	■	■

* Please indicate the height of the required ceiling suspension when ordering.

WAGNER-EWAR.DE



INSPIRING
INFORMATIVE
UP TO DATE

OUR HOMEPAGE

offers a lot: numerous solutions for your project, detailed information for each product, data sheets, texts for specifications, installation instructions, etc. – also for downloading. You can also find your local sales partner, the latest references and much more.



TABLE OF CONTENTS

A		F	
ADJUSTABLE MIRROR	P. 123	FITTINGS	P. 92-93
ANGLED GRAB RAILS	P. 124	FLOOR DOOR STOPS	P. 109
ASH TRAY	P. 109	FLUSH AND CALL DEVICES	P. 122
		FOAM SOAP DISPENSERS	P. 39,40,43
B		FOLDING SEATS	P. 124-125
BABY CHANGERS	P. 112-113		
BACK RESTS	P. 123,125	G	
BASIN TAPS	P. 92-93	GLOVE DISPENSERS	P. 41
BRUSH SETS	P. 107	GRAB RAILS	P. 123
C		H	
COLORED ITEMS	P. 97	HAND CARE COMBINATIONS	P. 41
COMBINATIONS:		HAND DRYER	P. 58
FOAM/WASTE	P. 88	HINGED SUPPORT RAILS	P. 122
FOAM/PAPER/WASTE	P. 81	HOOKS	P. 108
PAPER/WASTE	P. 84,86,87	HYGIENE BINS	P. 68
PAPERROLL/WASTE	P. 85	HYGIENE WASTE BINS	P. 110-111
SOAP/DISINFECTANT/HANDLOTION	P. 41		
SOAP/PAPER	P. 88	L	
SOAP/PAPER/WASTE	P. 80-83	LARGE ROLL DISPENSER	P. 105
D		LIQUID SOAP DISPENSERS	P. 38-40,42,43,46
DISINFECTANT DISPENSERS	P. 44-46	M	
DISPOSAL FLAPS	P. 72-73	MIRRORS	P. 89
DISPOSAL FRAMES	P. 72-73	MIRROR CUPBOARDS	P. 88,89
DISPOSAL RINGS	P. 72-73		
DOOR STOPS	P. 108,109	N	
DOUBLE HOOKS	P. 108	NAPPY-BINS	P. 113
		NAPPY CHANGERS	P. 112-113

O		T	
ONLINE	P. 126	TABLETOP DISINFECTANT DISPENSERS	P. 46,47
		TABLETOP SOAP DISPENSERS	P. 46,47
P		TAPS	P. 92-93
PANEL MOUNTED SOAP DISPENSER	P. 47	TISSUE DISPENSER	P. 57
PAPER ROLL DISPENSERS	P. 58-59	TOILET PAPER SHEET DISPENSER	P. 105
- FOR NAPPY CHANGERS	P. 112	TOILET ROLL HOLDERS	P. 104-106
PAPER TOWEL DISPENSERS	P. 54-57	TOILET ROLL STORAGE CONTAINER	P. 107
PIKTOGRAMS	P. 114,115	TOILET BRUSH SETS	P. 107
PRE-INSTALLED FIXING PLATE	P. 122	TOWEL RAILS	P. 56
R		W	
RECEIVER FOR CALL DEVICES	P. 123	WALL-FLOOR SUPPORT RAIL	P. 122
REMOVABLE FOLDING SEAT	P. 124	WALL MOUNTED DOOR BUFFERS	P. 108
RESERVE TOILET ROLL HOLDERS	P. 106	WASTE BASKETS	P. 70-71
S		WASTE BINS	P. 66-69
SANITARY BAG DISPENSERS	P. 110	WEBSITE	P. 126
SANITARY BAG STORAGE CONTAINER	P. 110	WET WIPE TOILET PAPER DISPENSER	P. 105
SENSOR-DISINFECTANT DISPENSERS	P. 44,45		
SENSOR-SOAP DISPENSERS	P. 38-43		
SHOWER GRAB RAILS	P. 124		
SHOWER HEAD HOLDER	P. 124		
SHOWER CURTAIN RINGS	P. 125		
SHOWER CURTAIN RAILS	P. 125		
SHOWER RAILS	P. 124		
SINGLE HOOKS	P. 108		
SOAP BASKETS	P. 124		
SOAP DISPENSERS	P. 38-40,42,43,46		
SOAP SHELLS	P. 109		
SPECIAL DESIGN	P. 94		
STAINLESS STEEL MIRRORS	P. 89		
SUPPORT RAILS	P. 122		
SYPHON COVER	P. 93		

ARTICLE DIRECTORY

AC

AC 211 P. 109
 AC 214 P. 108
 AC 215 P. 108
 AC 216 P. 108
 AC 217 P. 108
 AC 218 P. 108
 AC 219 P. 108
 AC 220 P. 106
 AC 221 P. 107
 AC 222 P. 106
 AC 225-2..... P. 106
 AC 225-3 P. 106
 AC 227 P. 109
 AC 228 P. 109
 AC 230 P. 56
 AC 231 P. 56
 AC 232 P. 56
 AC 250 P. 106
 AC 252 P. 106
 AC 261 P. 107
 AC 270 P. 109
 AC 400 P. 114
 AC 401 P. 114
 AC 404 P. 114
 AC 405 P. 114
 AC 410 P. 114
 AC 411 P. 114
 AC 420 P. 114
 AC 421 P. 114
 AC 422 P. 114
 AC 423 P. 114
 AC 425 P. 115
 AC 426 P. 115
 AC 430 P. 114
 AC 431 P. 114
 AC 440 P. 114
 AC 441 P. 114
 AC 450 P. 115
 AC 451 P. 115

AC 460 P. 115
 AC 461 P. 115
 AC 470 P. 115
 AC 471 P. 115
 AC 490 P. 115
 AC 491 P. 115
 AC 494 P. 115
 AC 495 P. 115

BA

BA 010..... P. 122
 BA 017..... P. 122
 BA 020 P. 122
 BA 025 P. 123
 BA 035 P. 124
 BA 044 P. 125
 BA 063 P. 122
 BA 200 P. 124
 BA 210..... P. 125
 BA 220 P. 125
 BA 250 P. 123
 BA 260 P. 124
 BA 270 P. 124
 BA 300 P. 123

BF

BF 600..... P. 123
 BF 601 P. 124
 BF 611 P. 122
 BF 620..... P. 123
 BF 625..... P. 124
 BF 630..... P. 123
 BF 635..... P. 123
 BF 640..... P. 124
 BF 650..... P. 124
 BF 660..... P. 122
 BF 670..... P. 122
 BF 680..... P. 125
 BF 690..... P. 125

L

L 109 P. 40
 L 109E P. 40
 L 111 P. 54
 L 113 P. 54
 L 133 P. 67
 L 184 P. 67
 L 185 P. 67
 L 186 P. 67
 L 187 P. 67
 L 188 P. 69
 L 190 P. 69

PC

PC 215..... P. 108
 PC 222 P. 106
 PC 250 P. 106
 PC 261..... P. 107

PP

PP 13 P. 55
 PP 17 P. 40
 PP 101 P. 40
 PP 102 P. 40
 PP 102-7 P. 44
 PP 103 P. 40
 PP 107 P. 40
 PP 108 P. 55
 PP 111 P. 55
 PP 113 P. 55
 PP 115 P. 55
 PP 126 P. 66
 PP 151 P. 71
 PP 152 P. 66
 PP 182 P. 66

WA

WA 100 P. 92
 WA 100-1 P. 92
 WA 110..... P. 93
 WA 110-1 P. 93
 WA 200 P. 92
 WA 200-1 P. 92
 WA 210..... P. 93
 WA 210-1 P. 93
 WA 500 P. 92
 WA 510..... P. 93

WP

WP 18 P. 68
 WP 33 P. 68
 WP 34 P. 68
 WP 101 P. 38
 WP 101-1..... P. 38
 WP 101E P. 38
 WP 102 P. 38
 WP 102-1 P. 38
 WP 102-7 P. 44
 WP 102E..... P. 38
 WP 102E-1 ... P. 38
 WP 102E-7 ... P. 44
 WP 103 P. 39
 WP 105 P. 39
 WP 106 P. 39
 WP 107 P. 38
 WP 111 P. 54
 WP 112 P. 54
 WP 113 P. 54
 WP 114 P. 54
 WP 117 P. 57
 WP 118 P. 57
 WP 119 P. 105
 WP 120 P. 44
 WP 121 P. 44
 WP 122-1 P. 46

WP 122-3 P. 47
 WP 123 P. 41
 WP 126 P. 66
 WP 131 P. 68
 WP 133 P. 68
 WP 134 P. 68
 WP 135 P. 72
 WP 136 P. 72
 WP 137 P. 110
 WP 138 P. 110
 WP 139 P. 69
 WP 140 P. 110
 WP 145 P. 73
 WP 146-1 P. 72
 WP 147 P. 66
 WP 148 P. 104
 WP 149 P. 104
 WP 150 P. 70
 WP 150-1 P. 70
 WP 150-2 P. 70
 WP 151 P. 70
 WP 151-1..... P. 70
 WP 151-2..... P. 70
 WP 152 P. 66
 WP 154 P. 73
 WP 154-1 P. 73
 WP 155 P. 110
 WP 156 P. 110
 WP 156-1 P. 110
 WP 157 P. 104
 WP 158-1 P. 73
 WP 159 P. 73
 WP 159-1 P. 72
 WP 161 P. 107
 WP 162 P. 107
 WP 163 P. 105
 WP 163-S P. 105
 WP 164 P. 104
 WP 165 P. 57
 WP 166 P. 57

WP 167 P. 104
 WP 168 P. 107
 WP 169 P. 105
 WP 170 P. 57
 WP 173 P. 42
 WP 173-1 P. 42
 WP 173-5 P. 42
 WP 173-7 P. 45
 WP 173E P. 42
 WP 173E-1 ... P. 42
 WP 173E-7 ... P. 45
 WP 174 P. 43
 WP 174-2 P. 43
 WP 174-5 P. 43
 WP 174-7 P. 45
 WP 174E P. 43
 WP 174E-2.... P. 43
 WP 174E-7.... P. 45
 WP 175 P. 56
 WP 176 P. 56
 WP 176-1 P. 56
 WP 177 P. 111
 WP 177-1..... P. 111
 WP 177-2 P. 111
 WP 179 P. 111
 WP 179-1 P. 111
 WP 179-2 P. 111
 WP 180 P. 68
 WP 181 P. 68
 WP 183 P. 66
 WP 188 P. 69
 WP 189-1 P. 46
 WP 189-3 P. 47
 WP 190 P. 46
 WP 191-1..... P. 46
 WP 191-3 P. 47
 WP 192-1 P. 46
 WP 192-3 P. 47
 WP 193 P. 46
 WP 194 P. 47

WP 195 P. 47
 WP 195-10 ... P. 47
 WP 196 P. 71
 WP 197 P. 71
 WP 198 P. 69
 WP 199 P. 93
 WP 201 P. 71
 WP 208 P. 39
 WP 208-5 P. 39
 WP 208-7 P. 44
 WP 208E..... P. 39
 WP 208E-7 ... P. 44
 WP 256 P. 110
 WP 500 P. 81
 WP 500-5 P. 81
 WP 500E..... P. 80
 WP 501 P. 87
 WP 506 P. 88
 WP 510 P. 81
 WP 510-5 P. 81
 WP 510E..... P. 80
 WP 511 P. 84
 WP 520 P. 84
 WP 530 P. 87
 WP 535 P. 87
 WP 540 P. 87
 WP 545 P. 87
 WP 550 P. 88
 WP 550-5 P. 88
 WP 550E..... P. 88
 WP 575 P. 41
 WP 575E..... P. 41
 WP 600 P. 88
 WP 600-5 P. 88
 WP 600E..... P. 88
 WP 601 P. 89
 WP 602 P. 89
 WP 603 P. 89
 WP 604 P. 89
 WP 610 P. 87

WP 612 P. 87
 WP 650..... P. 89
 WP 650-5 P. 89
 WP 650E..... P. 89
 WP 1100 P. 58
 WP 1200..... P. 58
 WP 1300..... P. 58
 WP 1301 P. 58
 WP 1310 P. 58
 WP 1311 P. 58
 WP 1400..... P. 59
 WP 1401 P. 59
 WP 1410 P. 59
 WP 1411 P. 59
 WP 2010..... P. 112
 WP 2015..... P. 112
 WP 2110 P. 113
 WP 2115 P. 113
 WP 2405..... P. 112
 WP 2505..... P. 113
 WP 5010..... P. 86
 WP 5015..... P. 86
 WP 5110 P. 86
 WP 5115 P. 86
 WP 5120 P. 86
 WP 5125 P. 86
 WP 5410 P. 82
 WP 5415 P. 82
 WP 5420..... P. 83
 WP 5425..... P. 83
 WP 5450..... P. 85
 WP 5451..... P. 85
 WP 5455..... P. 85
 WP 5456..... P. 85
 WP 5710..... P. 82
 WP 5715 P. 82
 WP 5720..... P. 83
 WP 5725..... P. 83

CONTACT CONSULTATION SAMPLES

PLEASE CONTACT US

If you require further information, we are happy to advise you over the phone or on site. We can also send you product samples or further documents. We are looking forward to hearing from you!
