

PRESTO[®]
loves water

PRESTOTEM[®] 2

New generation of shower panels

STYLISH AND SIMPLE
THANKS TO ITS
REVOLUTIONARY
DESIGN



FRENCH TAPWARE
FOR INTENSIVE USE AND
CHALLENGING ENVIRONMENTS



PRESTOTEM® 2, LOVES WATER

NEW GENERATION OF SHOWER PANELS

BENEFITS

Easy installation:

light-weight frame (less than 1 kg) as mounting pattern, one person only to install.

Simplified maintenance:

wide opening panel

access to stop valve located inside the panel without using a stepladder.


the removable valve plate makes the shower valves maintenance easier and simplifies the winter storage.

Safety:

the thermostatic cartridge, compliant to French norm EN1111, guarantees an anti-scalding system for users. Moreover, all MasterMix technology (patented and unique) integrated versions ensure both anti-scalding system and anti-bacterial proliferation inside the water network.

Hygiene:

eliminate water retention zone thanks to the new covers design.



PRESTOTEM® 2 TOUCH® AND
MASTERMIX® THERMOSTATIC MIXER

WITHOUT CONSTRAINT

Comfort:

rotating head shower with anti-limescale spikes.

Resistance:

anodised aluminium section and new blocking system.

Adaptability:

it is suitable for both top or rear water inlets.

Water savings:

self-closing versions prevent waste. PRESTOTEM 2 is also available in S anti-blocking version making continuous flow impossible.

Interchangeability and wide range:

interchangeable valve plate

The PRESTOTEM® 2 range is available in many versions (with or without self-closing shower valves).



AUDIENCE

PRESTOTEM® 2 is designed for intensive uses, with strict sanitary requirements:

- campsites
- public swimming pools
- gyms and sports centres
- stadium
- outdoor accomodations
- military accomodations



PRESTO ALPA®/ALPA S®



PRESTO TOUCH®



SENSOR NO HAND CONTACT



THERMOSTATIC MIXER WITHOUT MASTERMIX®



MASTERMIX® THERMOSTATIC MIXER



PRESTO 50



NON SELF-CLOSING CONTROL



MasterMiX®
INSIDE



BENEFITS OF MASTERMIX® VERSIONS

■ Patented technology:

- No cross connection between hot and cold water, to avoid bacterial proliferation. No check valves.

■ Anti-scald safety:

- The hot water shuts off immediately in case of hot or cold water failure according to the standard EN1111.
- Dual temperature limiters 38°C and 41°C.
- Safety thermal shock unlocking without dismantling the temperature knob and only accessible by persons of technical services.
- Equipped with silicone flexibles adapted for health facilities: tested for disinfection cycles according to the standard Tech 15 NF077.

PRESTOTEM® 2 RANGE

Designation	Ref.
FOR PUBLIC AND COMMERCIAL INSTITUTIONS	
PRESTO 50 (T) with thermostatic mixer tap	88800
PRESTO 50 (T) with thermostatic mixer tap and hand-held shower	88802
PRESTO 50 (T) and thermostatic mixer tap antilegionella version	88804
PRESTO 50 (T), reverser and thermostatic mixer tap	88806
ALPA® (T)	88808
ALPA® (T) with hand-held shower	88810
ALPA® S® (T)	88812
ALPA® S® (T) with hand-held shower	88814
Single control (NT)	88816
Single control (NT) with hand-held shower	88818
PRESTO 50 (T)	88820
PRESTO 50 (T) with hand-held shower	88822
PRESTO 50 (T) antilegionella version	88824
TOUCH® with thermostatic mixer tap	88868
TOUCH® with thermostatic mixer tap and hand-held shower	88870
TOUCH®	88832
TOUCH® with hand-held shower	88834
SENSOR - Single tap - battery	88880
SENSOR - Single tap - power supply	88882
SENSOR with thermostatic mixer tap - battery	88884
SENSOR with thermostatic mixer tap - power supply	88886
FOR HEALTHCARE INSTITUTIONS	
TOUCH® with MasterMix® (TM)	88858
TOUCH® with MasterMix® (TM) and hand-held shower	88860
Dual control (NT) with Mastermix® (TM) and hand-held shower	88856
Dual control (NT) with Mastermix® (TM) and reverser	88866
Single control mixer tap (NT)	88846
Single control mixer tap (NT) with hand-held shower	88848

(T) timed-flow (NT) non timed-flow (TM) thermostatic mixer



**PRESTOTEM® 2 WITH TOUCH®,
WITH THERMOSTATIC MIXER
AND HAND-HELD SHOWER**

PRESTO



LES ROBINETS PRESTO S.A.

**7, RUE RACINE
92542 MONTRouGE CEDEX – FRANCE**
Tel.: +33 (0)1 46 12 34 56 | Fax: +33 (0)1 47 35 69 82
Email: adv.export@presto.fr

www.presto.fr | www.presto-group.com | www.prestobim.com |
www.prestodatashare.com

PRESTO MIDDLE EAST / DMCC
**GABC 10TH FLOOR, SWISS TOWER, CLUSTER Y
JLT PO BOX 643718 DUBAI
UNITED ARAB EMIRATES**

Tel.: +971 52 79 32409
Email: d.heyberger@presto.fr

www.presto-group.com | www.prestobim.com |
www.prestodatashare.com



FIND OUT MORE ABOUT
PRESTOTEM 2 SHOWER
PANEL RANGE


Photo credits: © andreasK, © SolisImages, © Pavel Losevsky, © Tof Locoste - Fotolia / © Dmytro Aksonov,
© Tuned_In - iStock – Code Z565.7-02 – Edition March 2022



The new PRESTOTEM 2 shower panels present a **revolutionary design**.

Modern, robust, they are perfectly adapted to commercial applications with high resistance to intensive use. The major innovation on their **wide opening panel and removable valve plate** offers an **ease of use, makes installation and service easier** as well as winter storage. The panel can be easily upgraded to another version by a simple change of shower valve plate.





**PRESTOTEM® 2 TOUCH® AND
MASTERMIX® THERMOSTATIC MIXER**

