

# frostline®

Handmade in Denmark

# Water all year round

The frost line [Frostline] marks the boundary below the ground where the frost normally does not reach.

The Frostline name therefore symbolizes showers and taps where you are always on the safe side. All products are designed with built-in safety through a self-draining valve that, when installed correctly, guarantees frost protection without the use of electricity, even in the coldest months.

In the warmer months you are also covered. All products are free of potential legionella bacteria, which thrive in stagnant and lukewarm water.

This eliminates the self-draining system as well, as the water drains out after use.

Choose the solution that suits your outdoor space and create a place that contributes to well-being all year round.

## Handmade in Denmark

With Frostline, you don't just get frost-proof water solutions. You also become part of our universe filled with neat craft traditions, high material requirements and streamlined design. Since 1995, all our products have been hand-assembled in Denmark by competent employees and manufactured from good materials.

## Meet the designer

Since Poul Henningsen inspired him with 'form follows function', Roland Thorsen has had a vision of designing solutions based on the function that the solution must cover. Based on his sculptural idiom and with an uncompromising approach to craftsmanship, Roland has created the Frostline, a symbol of timeless design rooted in engineering.

In a world that is always evolving, timeless design is an overlooked quality. Frostline was therefore created on the basis of a vision to outcompete obsolescence. Fusion of handmade quality and timeless design, ensure you a source that stays beautiful year after year, and can help contribute to daily quality of life.



Roland



## New: 3D visualization tool

Discover our 3D visualization tool, which allows you to see the Frostline products in your own environment with impressive realism. Thanks to our innovative AR technology, you can now rotate, move and zoom in on each product so you can make informed purchasing decisions.

# Table of Contents

Wall mounted showers DUO.....	6 - 9
Wall mounted showers EQI.....	10 - 13
Built-in showers EQI.....	14 - 15
Kitchen taps EQI.....	16 - 17
Mixing valve.....	18 - 19
Wall mounted tap valves.....	22 - 25
Free standing showers DUO.....	26 - 29
Free standing showers EQI.....	30 - 33
Free standing water tap.....	34 - 37
PRO Public.....	38 - 41
Material overview.....	42
Contact.....	43





Photo: Bruno Jakobsen Design - [www.brunojakobsendesign.dk](http://www.brunojakobsendesign.dk)

## Reduced Nordic design

All Frostline products are designed with the idea of being able to fit into any home without drawing attention. They are made from good materials and with a technique so that they are frost-proof and can be used all year round.



## DUO wall mounted outdoor shower

A wall-mounted outdoor shower from the DUO series is a frost-proof and elegant solution. The timeless design means that the shower can fit into any environment.

With the DUO shower, you can also choose whether you prefer one

soothing hot bath or a cool invigorating rinse. The shower is hand-assembled in Denmark and produced from solid materials, so you get a solution that you can enjoy for many years.



**Glass blown**






**Black**



**Polished**

Product	Item number	Description
550	743492034	With 15 mm connection, wall thickness 150-350 mm
550	743492054	With 15 mm connection, wall thickness 300-550 mm
550		For Frostline junction box, with ½ RG, measured wall dimensions
550-S	743492031	With 15 mm connection, wall thickness 150-350 mm, black
550-S	743492051	With 15 mm connection, wall thickness 300-550 mm, black
550-S		For Frostline coupling box, with ½ RG, measured wall dimension, black
550-02	743492037	With 15 mm connection, wall thickness 150-350 mm, polished
550-02	743492057	With 15 mm connection, wall thickness 300-550 mm, polished
550-02		For Frostline junction box, with ½ RG, measured wall dimension, polished
4096	723209004	Mixing valve with built-in thermostat





## Towel hook

Frostline offers towel hooks that perfectly complement your outdoor shower. Available in matching finishes, these hooks provide practical storage for your towels while adding a stylish touch to your outdoor decor.

# EQI wall mounted outdoor shower

Every day is different. Designed on the principle that 'form follows function', the EQI series wall-mounted outdoor shower can help transform your outdoor environment into an oasis of daily well-being.



**Glass blown**



**Copper**



**Brass**



*\*See the size ratio on page 8.*



Product	plumbing no.	Description
5050-101	743470734	With 15 mm and ½ RG connection, wall thickness 150-350 mm
5050-101	743470754	With 15 mm and ½ RG connection, wall thickness 300-550 mm
5050-101		For Frostline junction box, with ½ RG, measured wall dimensions
5050-107	743470738	With 15 mm and ½ RG connection, wall thickness 150-350 mm, copper
5050-107	743470758	With 15 mm and ½ RG connection, wall thickness 300-550 mm, copper
5050-107		For Frostline junction box, with ½ RG, measured wall dimensions, copper
5050-102	743470737	With 15 mm and ½ RG connection, wall thickness 150-350 mm, brass
5050-102	743470757	With 15 mm and ½ RG connection, wall thickness 300-550 mm, brass
5050-102		For Frostline coupling box, with ½ RG, measured wall dimension, brass
5050-101	743470634	With 15 mm and ½ RG connection, wall thickness 150-350 mm, inclined shower head
5050-101	743470654	With 15 mm and ½ RG connection, wall thickness 300-550 mm, inclined shower head
5050-101		For Frostline junction box, with ½ RG, measured wall dimensions, inclined shower head.
4096	723209004	Mixing valve with built-in thermostat
7010-101	743469804	Towel hook





*Photo: Puras Architecture / Mads Madsen*

## Fits your needs

The popular frost-proof wall mounted shower gives you the opportunity to create your very own oasis of wellness - all year round.

EQI 5050





# EQI built-in outdoor shower

The minimalistic wall mounted outdoor shower from the EQI series is designed for built in installation, giving it an elegant and streamlined appearance. With this shower

you have a frost-free solution that beautifully adapts to your outdoor environment and allows you to enjoy refreshing showers all year round.



Glass blown

Copper



Product	plumbing no.	Description
5065-101	743469714	Connection with ½ RG, wall thickness 180 mm
5065-101	743469724	Connection with ½ RG, wall thickness 220 mm
5065-101	743469734	Connection with ½ RG, wall thickness 260 mm
5065-101	743469744	Connection with ½ RG, wall thickness 300 mm
5065-101	743469754	Connection with ½ RG, wall thickness 340 mm
5065-101	743469764	Connection with ½ RG, wall thickness 380 mm
5065-101	743469774	Connection with ½ RG, wall thickness 420 mm
5065-107	743469718	Connection with ½ RG, wall thickness 180 mm, copper
5065-107	743469728	Connection with ½ RG, wall thickness 220 mm, copper
5065-107	743469738	Connection with ½ RG, wall thickness 260 mm, copper
5065-107	743469748	Connection with ½ RG, wall thickness 300 mm, copper
5065-107	743469758	Connection with ½ RG, wall thickness 340 mm, copper
5065-107	743469768	Connection with ½ RG, wall thickness 380 mm, copper
5065-107	743469778	Connection with ½ RG, wall thickness 420 mm, copper

Photo: Esmark holiday rental

## Built-in elegance

The built-in shower blends elegantly with the home's architecture and combines functionality with aesthetics in the most beautiful way.

Summer house designed by Lola Rieger og Jesper Bork, 3XN

Summer house designed by 3XN Architects



# EQI kitchen taps

Enjoy your outdoor kitchen all year round with a frost-proof kitchen tap. Do you want a free-standing built-in, free-standing or a wall-mounted kitchen tap, we have a solution


that matches your needs. All the solutions are frost-proof, so you have access to cold and hot water all year round.



**Glass blown**



**Copper**



Product	plumbing no.	Description
5010-101	743469534	With 15 mm and ½ RG connection, wall thickness 150-350 mm
5010-101	743469554	With 15 mm and ½ RG connection, wall thickness 300-550 mm
5010-101		For Frostline junction box, with ½ RG, measured wall dimensions
5010-107	743469538	With 15 mm and ½ RG connection, wall thickness 150-350 mm, copper
5010-107	743469558	With 15 mm and ½ RG connection, wall thickness 300-550 mm, copper
5010-107		For Frostline junction box, with ½ RG, measured wall dimensions, copper
9018	743474964	Frostline double junction box with drain and seal for legal installation
4096	723209004	Mixing valve with built-in thermostat with ½ RG
5042-101	743469014	Connection with ½ RG, cold and hot
5042-107	743469018	Connection with ½ RG, cold and hot, copper
5080-1-101	743469024	Connection with ½ RG, cold and hot
5080-1-107	743469028	Connection with ½ RG, cold and hot, copper
7020	743473990	Terrace extension set



EQI 5042

*The rosette against the table top is offered as an optional extra*



EQI 5042



EQI 5010

*Photo: Toko no ma / Christian M. Andersen*

## Universal use


The free-standing kitchen tap with cold and hot water is practical, as it can be used together with an outdoor kitchen on wheels, where it works as a stand-alone tap when the kitchen is not in use. In addition, the kitchen faucet can be integrated directly into a fixed worktop. Note that both installations require accessibility to a well below the product.



## Mixing valve

You no longer have to worry about other people's water consumption and its impact on your bathing experience. With the Frostline mixing valve, the ideal water temperature is always ensured. You no longer need to spend time adjusting the faucet - it is the desired temperature that flows out as soon as you turn on the water. In this way, the risk of scalding hot water is also eliminated. The mixing valve gives you the freedom to adapt your shower experience according to your preferences and enjoy a luxurious feeling every time, regardless of weather conditions or other people's water consumption.





# Wellbeing





# every day

Photo: Puras Architecture / Tina Stephansen



## Danish produced quality

Minimalistic design and maximum enjoyment all year round. With Wall, every single line and curve has been carefully crafted to please not only the eye, but also the hand. A beautiful and functional solution for your water consumption in the garden.



## DUO & EQI wall valves

Decorate your facade with the minimalistic and timeless WALL from the DUO or EQI series.

Upgrade your home and make a practical product – to an aesthetic source of quality of life, for both you and your outdoor environment.

The frost-proof valve is available with a matching hose holder (see p. 25), so you have elegant storage for the garden hose.

Wall is hand-assembled in Denmark and produced from solid materials, so you get a solution that you can enjoy for many years.

### DUO Wall



Glass blown



Copper



Polished



Black

### EQI Wall



Glass blown



Copper




Brass

Product	plumbing no.	Description
F760	743458134	With 15 mm connection, wall thickness 150-350 mm
F740	743458154	With 15 mm connection, wall thickness 300-550 mm
F760-S	743458161	With 15 mm connection, wall thickness 150-350 mm, black
F740-S	743458151	With 15 mm connection, wall thickness 300-550 mm, black
F760-02	743458167	With 15 mm connection, wall thickness 150-350 mm, polished
F740-02	743458157	With 15 mm connection, wall thickness 300-550 mm, polished
F760-01	743458168	With 15 mm connection, wall thickness 150-350 mm, copper
F740-01	743458158	With 15 mm connection, wall thickness 300-550 mm, copper
2010-101	743456434	With 15 mm connection, wall thickness 150-350 mm
2010-101	743456454	With 15 mm connection, wall thickness 300-550 mm
2010-101		For Frostline junction box, with ½ RG, measured wall dimensions
2010-107	743456438	With 15 mm connection, wall thickness 150-350 mm, copper
2010-107	743456458	With 15 mm connection, wall thickness 300-550 mm, copper
2010-107		For Frostline junction box, with ½ RG, measured wall dimensions, copper
2010-102	743456437	With 15 mm connection, wall thickness 150-350 mm, brass
2010-102	743456457	With 15 mm connection, wall thickness 300-550 mm, brass
2010-102		For Frostline coupling box, with ½ RG, measured wall dimension, brass



Photo: Studio He / Xiao He



## Wall mounted hose holder

Wall is available in several surfaces and with the matching hose holder, which ensures that you get the solution that fits your facade exactly.



## DUO free standing outdoor shower

Duo free-standing outdoor shower is a frost-free solution in a beautiful design for the quality-conscious villa and summer house owner.

It is possible to get a model equipped with a self-closing handle, which means that the water is shut off when the handle is released.




Glass blown



Copper



Polished



Product	plumbing no.	Description
F180	743480634	DUO outdoor shower
F180-K		DUO outdoor shower, copper
F180-1	743485634	DUO outdoor shower with self-closing function
F180-2		DUO outdoor shower, polished
4096	723209004	Mixing valve with built-in thermostat



*Photo: Designhaver / Pia Enghild*


## Elegant design for every need

The product is made of the best materials and is therefore also suitable for use on public areas at beaches, campsites and other places where there is a need for an outdoor shower that can be used all year round.



Photo: Studio He / Xiao He

The selected mounting deviates from the recommendation.





*Photo: Puras Architecture / Tina Stephansen*

## Refined quality of life

Feel the refreshing water flowing at the perfect temperature all year round.



## EQI free standing outdoor shower

With a Frostline outdoor shower from the EQI series, you are in control. You can choose for yourself whether you prefer one steaming hot and soothing bath

– or a cool and invigorating rinse, for the ideal start to the day.



Glass blown



Brass



Copper

Product	plumbing no.	Description
5080-101	743473204	Connection with ½ RG, cold & hot, with inclined shower head
5080-101	743473200	Connection with ½ RG, cold & hot
5080-102		Connection with ½ RG, cold & hot, brass
5080-107	743473208	Connection with ½ RG, cold & hot, copper
4096	723209004	Mixing valve with built-in thermostat
7020	743473990	Terrace extension set

EQI 5080






Photo: Katrine Sølvsten / Sølvsten arkitektur



Photo: Puras Architecture / Tina Stephansen

# DUO & EQI free standing water tap

The free-standing water feature gives you the freedom to choose where it should stand, as you are not dependent on placement

it up against a wall. This gives you the opportunity to integrate it beautifully into any outdoor setting.



**DUO H · F101 · F121**



**DUO L · F102 · F122**



**DUO Classic · F004**



**EQI · 4012**



**EQI · 4040**



**EQI · 4046**



Product	plumbing no.	Description
F101	743480334	DUO H 30 water tap
F101-K		DUO H 30 water tap, copper
F101-1	743485334	DUO H 30 water tap with self-closing
F121	743480344	DUO H 9 water tap
F121-1	743485344	DUO H 9 water tap with self-closing
F102	743480304	DUO L 30 water tap
F102-1	743485304	DUO L 30 water tap with self-closing
F122	743480314	DUO L 9 water tap
F122-1	743485314	DUO L 9 water tap with self-closing
F004	743480004	Classic 23 G water column
F004-k		Classic 23 G water tap, copper
4012-101	743472104	EQI Connection with ½ RG
4012-107	743472108	EQI Connection with ½ RG, copper
4040-101	743472504	EQI Connection with ½ RG
4046-101	743472554	EQI Connection with ½ RG



DUO L

*The copper version is made to order.*

### Neat craftsmanship

With a water tap, you not only get an innovative frost-free water solution, you also get a product in an exclusive Scandinavian design, which is neatly hand-assembled in Denmark from the best materials.



DUO Classic

*A Terrace extension set is available as an accessory for the Classic.*





PRO 3117

*The shower head has been changed. See page 39. Photo: Frøslev tree*

## Integration with the architecture

At Frostline, our vision is not only to create solutions that make the surroundings more beautiful, but also to create products that can deliver water, even on the coldest winter day.

Creating products that must play together with beautiful architectural constructions demands commitment.

## PRO public series

Do you need products suitable for public spaces and which can supply fresh water all year round?

At Frostline, we offer a range of products targeted for this purpose.

The products work using a mechanical system that does not require electricity. They are manufactured in stainless steel, and all solutions are produced in Denmark.



2070



3017



3012



3018



3080



3117

Product	plumbing no.	Description
2070	743456226	Connection and drain ¾ RG, 200 mm, stained stainless steel*
2070	743456246	Connection and drain ¾ RG, 400 mm, stained stainless steel*
2070	743456266	Connection and drain ¾ RG, 600 mm, stained stainless steel*
3012	743477304	Connection with ½ RG, stained
3017	743457334	With tempo stop and ½ RG, wall thickness 180 mm, stained*
3017	743457364	With tempo stop and ½ RG, wall thickness 300 mm, stained*
3017	743457394	With tempo stop and ½ RG, wall thickness 420 mm, stained*
3018	743491134	With tempo stop and ½ RG, wall thickness 180 mm, stained*
3018	743491154	With tempo stop and ½ RG, wall thickness 260 mm, stained*
3018	743491174	With tempo stop and ½ RG, wall thickness 340 mm, stained*
3018	743491194	With tempo stop and ½ RG, wall thickness 420 mm, stained*
3080		With tempo stop, stained
3117	743491534	With tempo stop and ½ RG, wall thickness 180 mm, stained*
3117	743491564	With tempo stop and ½ RG, wall thickness 300 mm, stained*
3117	743491594	With tempo stop and ½ RG, wall thickness 420 mm, stained*

\*See more sizes in the price list.



PRO Public 3080




PRO Public 3017



PRO Public 3012



PRO Public 2070



---

## Glass blown

The silk-mat stainless surface of the glass-blown products will acquire a light patina over time, and it will age gracefully and last for generations. We use AISI304 and AISI316.



---

## Polished

The polished stainless steel surface adds an eye-catching element to outdoor settings, beautifully capturing the sunlight with its glossy and reflective effect. At the same time, this surface also ensures the product's long-term durability, even under harsh environmental conditions. We use AISI316.



---

## Copper

It is a very living material that quickly takes on the color of the environment, surroundings and touch. As new and untreated, the copper appears in many different shades. It can appear anywhere from brilliantly shiny to flaming dark on the surface.



---

## Brass

It looks like copper but is lighter in color. Over time it becomes brownish, with shiny surfaces where it is touched regularly. Burnished brass is made to order.



---

## Black

The black surface is designed to enhance the design language using deep shades that harmonize with nature's color scale. The product is stainless steel with varnish on it. We use AISI316.



---

## Stained

Stained stainless steel helps to give a matte finish with an industrial look. We use AISI304.

See under each product which surfaces are possible, or contact us for guidance.

# Contact

Sales and customer service



**Randi Jensen**  
Customer Service  
Mobile +45 8724 1444  
info@frostline.dk



**Morten Højgaard**  
Customer Service  
Mobile +45 8724 1444  
info@frostline.dk



**Rolf Thygesen**  
Office Manager  
Mobile +45 8724 1444  
info@frostline.dk



**Morten Johansen**  
Sales, Denmark  
Mobile +45 3164 0803  
morten@frostline.dk



**Lasse Arnoldus**  
Sales, Denmark  
Mobile +45 2080 9675  
lasse@frostline.dk



**Maibritt Johansen**  
Sales, Denmark  
Mobile +45 5458 3045  
maibritt@cosani.dk



**Jesper Langberg**  
CEO  
Mobile +45 2324 7100  
jesper@frostline.dk




**Trude Kristin Aakre**  
Internal sales, Norway  
Mobile +47 951 53 531  
trude@cosani.dk



**Hege Galteland**  
Sales, Norway  
Mobile +47 970 44 234  
hege@cosani.dk

See additional people on the website.  
[frostline.dk](http://frostline.dk)



DUO 550

FRONT AND BACK PHOTO STUDIO NET / XIAO HE

Photo: Bruno Jakobsen Design

Frostline A/S | Trindsøvej 10, 8000 Aarhus C, Denmark | [frostline.dk](http://frostline.dk)  
+45 8724 1444 | +45 7023 1000 | [info@frostline.dk](mailto:info@frostline.dk)

Warehouse and Production | Jegstrupvej 50, 8361 Hasselager